

<b>Mental Health</b>	
Adult Data (BRFSS)	Clark County
Percent of respondents that indicated they have felt so sad or hopeless for two weeks in a row or more that they stopped doing some usual activities	11%
Percent of respondents indicated that their mental health had not been good at least one day out of the month	40%
Percent of respondents who ever bet more than they could really afford to lose.	Sometimes 4.9%
	Most of the time .1%
Percent of respondents who go back another day to try to win back the money they lose	Sometimes 9.5%
	Almost always .1%
Percent of respondents who feel they have a problem with gambling	Sometimes 2.2%
	Almost always .5%
Percent of respondents that indicated their gambling caused any financial problems for the household	Never 95.7%
Percent of respondents who had a parent or other adult in the household often or very often swear at them, insult them, put them down, humiliate them, or act in a way that made them afraid you might be physically hurt	20.1%
Percent of respondents who had a parent or other adult in the household often or very often push, grab, slap, throw something at them, or ever hit them so hard you had marks or were injured	13.9%
Percent of respondents who had an adult or person at least 5 years older than them ever touch or fondle them or have then touch their body in a sexual way or attempt to actually have oral, anal, or vaginal intercourse with them	8.8%
Percent of respondents who often feel or very often feel that no one in their family loved them or thought they were important or special or their family didn't look out for each other, feel close to each other, or support each other	15.5%

Percent of respondents who often feel or very often feel that they didn't have enough to eat, had to wear dirty clothes and had no one to protect them or your parents were too drunk or high to take care of hem or take them to the doctor if they needed it	6.7%
Percent of respondents whose parents ever separated or divorced	36.5%
Percent of respondents whose mother or stepmother often or very often pushed, grabbed, slapped, or had something thrown at her	11.1%
Percent of respondents who ever lived with anyone who was a problem drinker or alcoholic or who used street drugs	25.8%
Percent of respondents who had a depressed or mentally ill household member, or did a household member attempt suicide	16.5%
Percent of respondents who had a household member go to prison	8.8%
Percent of respondents that indicated one of their children has been diagnosed with a mental health disorder of some kind	26.7%
Percent of respondents who's child is receiving mental health care from a mental health agency	13.8%
Percent of respondents who's child is receiving mental health care from a primary physician	55.5%
Percent of respondents who's child is receiving mental health care from somewhere else or not at all	30.7%
<b>Middle School Data (YRBS)</b>	
Percent of students who seriously considered attempting suicide	21.7%
Percent of students who made a plan about attempting suicide	13.4%
<b>High School Data (YRBS)</b>	
Percent of students who ever felt sad or hopeless almost every day for 2 weeks or more during the past 12 months	33.4%

Percent of students who seriously considered attempting suicide in the past 12 months	18.6%
Percent of students who made a plan about attempting suicide during the past 12 months	17.7%
Percent of students who attempted suicide one or more times during the past 12 months	11.2%
Percent of students who had an attempted suicide treated by a doctor or nurse during the past 12 months	5.8%

<b>Secondary Data (Community Health Assessment)</b>	
Percent of respondents indicated that their mental health had not been good at least one day out of the month	40%
Percent of respondents who thoughts about death/suicide while they were feeling, sad, blue, or depressed	48.9%
Percent of respondents who said a member of the household was depressed, mentally ill, or attempted suicide in the past year	16.5%

