

Address	Insp Date	Result	Abatement/Date
Arlington Ave: 120 N.	2/20/2008	positive	6/10/2008
Arlington Ave: 314 S.	n/a	positive	6/25/2005
Arlington Ave: 506 S.	1/4/1994	positive	n/a
Arlington Ave: 510 S.	n/a	positive	12/30/03-Lead Safe Springfield
Arlington Ave: 625 S.	n/a	positive	3/27/09-Lead Safe Springfield
Arlington Ave: 626 S.	n/a	positive	2/14/05-Lead Safe Springfield
Avindale Ave: 935	6/8/2010	positive	Pending
Baker Rd: 1750 lot 31	6/1/2004	<b>negative</b>	n/a
Baldwin Ave: 439	5/24/2005	positive	9/13/2005-Lead Safe Springfield
Baltimore Place: 315 (-317)	1/8/1992	positive	<b>DEMOLISHED</b>
Baltimore Place: 322	n/a	positive	<b>DEMOLISHED</b>
Baltimore Place: 332 (330-332)	n/a	positive	<b>DEMOLISHED</b>
Beacon-1104	n/a	positive	6/24/2005
Beacon St: 1812	12/15/1994	positive	n/a
Beatrice St: 2300	n/a	positive	6/24/05-Lead Safe Springfield
Beatrice St: 2311	n/a	positive	1/21/04--Lead Safe Springfield
Bechtle Ave: 311	4/16/2009	positive	7/24/09-Lead Safe Springfield
Bechtle Ave: 458	9/23/1998	positive	n/a
	9/13/2002	positive	
Bellaire Ave: 124	9/9/03	positive	n/a
Bellaire Ave: 306-308	n/a	positive	2/26/09-LSS
Bellaire Ave: 329	n/a	positive	9/17/03-Lead Safe Springfield
Bellaire Ave: 405 N.	n/a	positive	3/8/04-Lead Safe Springfield
Bellefair Ave: 1226	11/1/1999	positive	n/a
Bellefair Ave: 1304	10/6/2000	positive	n/a
Bellefair Ave: 1350	n/a	positive	6/19/09-Lead Safe Springfield
Bellevue Ave: 118	n/a	positive	8/23/04-Lead Safe Springfield
Bellevue Ave: 231	6/5/2007	positive	9/21/2007
Bellevue Ave: 907	5/26/1993	positive	n/a
Belmont Ave: 17 N.	3/27/2001	positive	n/a
Belmont Ave: 609 1/2 N.	6/1/2009	positive	
Belmont Ave: 605-605 1/2-609 N.	n/a	positive	11/20/09-Lead Safe Springfield
Belmont Ave: 725 1/2 N.	2/28/1994	negative	n/a
Belmont Ave: 742 N. &	n/a	positive	5/19/04-Lead Safe Springfield
Belmont Ave: 744 N.	n/a	positive	5/19/04-Lead Safe Springfield
Belmont Ave: 1015-1015 1/2 N.	n/a	positive	2/13/04-Lead Safe Springfield
Belmont Ave: 1034 N.	9/17/1993	<b>negative</b>	n/a
Belmont Ave: 1059 N.	6/11/1992	positive	n/a
Belmont Ave: 1767 N.	10/20/1994	positive	n/a
Belmont Ave: 314 S.	5/3/1995	positive	n/a
Belmont Ave: 315 S.	3/8/1994	positive	n/a
Belmont Ave: 380 S.	9/28/1993	positive	n/a
Belmont Ave: 1210-1212 S.	n/a	positive	8/3/05-Lead Safe Springfield
Benin Dr: 1597	11/7/1990	negative	n/a
Berger Ave: 2641	n/a	positive	6/23/2005
Berger Ave: 2712	3/5/2002	positive	n/a
Berger Ave: 2715	n/a	positive	6/23/2005
Biel St: 1009	n/a	positive	2001-Lead Safe Springfield
Bischoff Road-385	1/31/2008	positive	6/24/2008
Brent Dr E: 103 Apt. C	10/10/1997	<b>negative</b>	n/a
Broadmoor Blvd: 336 S.	3/1/2002	positive	n/a
		positive soil-only	
Broadway St: 717	n/a		2001-Lead Safe Springfield
Broadway St: 726	9/23/2003	positive	n/a
Broadway St: 817	8/28/1992	positive	n/a
Broadway St: 901	10/31/2001	positive	n/a
Broadway St: 1005 &	12/3/1996	positive	4/28/04-Lead Safe Springfield
Broadway St: 1007 &	n/a	positive	4/28/04-Lead Safe Springfield

Address	Insp Date	Result	Abatement/Date
Broadway St: 1009	8/3/1995	positive	4/28/04-Lead Safe Springfield
Broadway St: 1025	1/30/2007	positive	9/14/07-Lead Safe Springfield
Broadway St: 1215	9/24/1997	positive	n/a
Broadway St: 1344	10/23/2007	positive	Pending
Broadway St: 1710-1712	n/a	positive	9/11/06-Lead Safe Springfield
Broadway St: 1920	n/a	positive	6/24/2005
Broadway St: 1925	n/a	positive	6/30/04-Lead Safe Springfield
Buckeye Ave: 1029-1031	n/a	positive	10/10/03-Lead Safe Springfield
Buckeye Ave: 1166	3/1/2000	positive	2000-Lead Safe Springfield
Burnett Rd: 220 N.	7/22/2004	positive	4/20/2005-Lead Safe Springfield
Burnett Rd: 420 1/2 N.	9/23/1998	positive	n/a
Burnett Rd: 872 N.	5/21/2004	positive	Pending
Burnett Rd: 111 S.	n/a	positive	9/13/05-Lead Safe Springfield
Burnett Rd: 613 S.	n/a	positive	2001-Lead Safe Springfield
Cassilly St: 21-21 1/2-23-23 1/2 E.	n/a	positive	3/31/09-Lead Safe Springfield
Cassilly St: 25-25 1/2-27 E.	n/a	positive	4/13/09-Lead Safe Springfield
	08/01/03		
Cassilly St: 26 E. &	9/9/03	positive	7/1/06-Lead Safe Springfield
Cassilly St: 28 E.	n/a	positive	7/1/06-Lead Safe Springfield
Cassilly St: 33-35-35 1/2 E.	n/a	positive	9/5/06-Lead Safe Springfield
Cassilly St: 37 E.	4/1/2010	positive	Pending
Cassilly St: 101 E. &	n/a	positive	4/12/06-Lead Safe Springfield
Cassilly St: 103 E.	5/16/2005	positive	4/12/06-Lead Safe Springfield
Cassilly St: 126 E. Apt. B	3/5/2010	positive	Pending
Cassilly St: 370 E.	3/7/2007	positive	1/15/2008
Cassilly St: 473 E. &	n/a	positive	8/3/05-Lead Safe Springfield
Cassilly St: 475 E.	8/16/2004	positive	8/3/05-Lead Safe Springfield
Cassilly St: 530 E.	7/8/1993	positive	n/a
Cassilly St: 551-553 E.	n/a	positive	8/18/06-Lead Safe Springfield
Cassilly St: 557 E. &	n/a	positive	5/31/06-Lead Safe Springfield
Cassilly St: 559 E.	n/a	positive	5/31/06-Lead Safe Springfield
Cassilly St: 717 E.	n/a	positive	6/23/2005
Cassilly St: 740 E.	n/a	positive	12/30/08-Lead Safe Springfield
Catherine St: 119	3/11/2010	positive	Pending
Catherine St: 312-314	n/a	positive	2000-Lead Safe Springfield
Catherine St: 319 &	8/23/2004	positive	3/14/05--Lead Safe Springfield
Catherine St: 321	8/24/1998	positive	3/14/05-Lead Safe Springfield
Catherine St: 431	8/22/1994	positive	n/a
Catherine St: 568	7/28/1998	positive	n/a
Cecil St: 35 E. &	n/a	positive	8/11/08-Lead Safe Springfield
Cecil St: 37 E.	11/13/2007	positive	8/11/08-Lead Safe Springfield
Cecil St: 124 E.	5/21/1996	positive	n/a
Cecil St: 364-366 E.	n/a	positive	5/30/08-Lead Safe Springfield
Cecil St: 377-379 E.	n/a	positive	Lead Safe Springfield
Cecil St: 413 E.	2/10/1993	positive	n/a
Cecil St: 452 E.	8/13/1996	positive	n/a
Cecil St: 464 E.	10/22/2002	positive	n/a
Cecil St: 524 E.	5/18/1995	positive	n/a
Cecil St: 616 E.	8/15/2005	positive	6/27/1905
Cecil St: 617-619 E.	n/a	positive	3/18/05-Lead Safe Springfield
Cecil St: 701 E.	10/28/1993	positive	n/a
Cecil St: 721 E.	n/a	positive	6/25/2005
	9/22/1998	positive	
Cecil St: 803 E.	10/30/01	positive	n/a
Cecil St: 835 E.	7/12/2005	positive	10/19/2005
	9/26/1989		
Cedar St: 422	9/17/96	positive	<b>DEMOLISHED</b>
Cedar St: 423	10/15/1996	positive	<b>DEMOLISHED</b>

Address	Insp Date	Result	Abatement/Date
Cedar St: 516	11/14/1996	positive	n/a
Cedar St: 521	9/26/1989	positive	n/a
Cedar St: 612 &	n/a	positive	3/10/06-Lead Safe Springfield
Cedar St: 614	8/16/2005	positive	3/10/06-Lead Safe Springfield
Cedar St: 630	n/a	positive	2000-Lead Safe Springfield
Cedar St: 730	10/11/2001	positive	n/a
Cedar St: 912	4/25/1996	positive	n/a
Cedarview Dr E: 1135-1137	n/a	positive	7/28/08-Lead Safe Springfield
Cedarview Dr E: 1143-1145	n/a	positive	7/21/06-Lead Safe Springfield
Cedarview Dr E: 1232 &	7/23/2002	positive	1/13/03-Lead Safe Springfield
Cedarview Dr E: 1234	n/a	positive	1/13/03-Lead Safe Springfield
Cedarview Dr E: 1240-42	n/a	positive	7/21/08-Lead Safe Springfield
Cedarview Dr E: 1257-1259	n/a	positive	2010-Lead Safe Springfield
Cedarview Dr E: 1265	n/a	positive	4/6/06-Lead Safe Springfield
Cedarview Dr E: 1275-1277	n/a	positive	9/22/05-Lead Safe Springfield
Cedarview Dr E: 1300-1302	n/a	positive	9/18/06-Lead Safe Springfield
Cedarview Dr E: 1311	5/26/1993	positive	n/a
Cedarview Dr E: 1325-1327	n/a	positive	10/29/07-Lead Safe Springfield
Cedarview Dr E: 1330-32	n/a	positive	7/11/08-Lead Safe Springfield
Cedarview Dr E: 1340-1342	n/a	positive	7/21/06-Lead Safe Springfield
Cedarview Dr E: 1360-1362	n/a	positive	6/25/07-Lead Safe Springfield
Cedarview Dr E: 1400-1402	n/a	positive	7/28/08-Lead Safe Springfield
Cedarview Dr W: 1255-1257	n/a	positive	9/22/05-Lead Safe Springfield
Cedarview Dr W: 1410-1412	n/a	positive	3/25/09-Lead Safe Springfield
Center Blvd: 1434 S.	11/2/1998	positive	n/a
Center Blvd: 1627 S.	n	positive	2/12/09-Lead Safe Springfield
Center Blvd: 1635 S.	n/a	positive	6/23/2005
Center Blvd: 1751 S.	n/a	positive	5/20/09-Lead Safe Springfield
Center Blvd: 1756-1758 S.	n/a	positive	Lead Safe Springfield
Center Blvd: 1771 S. &	6/1/1993	positive	5/30/08-Lead Safe Springfield
Center Blvd: 1773 S.	n/a	positive	5/30/08-Lead Safe Springfield
Center St: 36 1/2 N.	9/6/1996	positive	n/a
Center St: 401 S.	3/26/1997	positive	<b>DEMOLISHED</b>
Center St: 638 S.	3/30/2004	positive	n/a
Center St: 802 S.	6/18/2004	positive	2/24/2005-Lead Safe Springfield
Center St: 808 S. &	n/a	positive	10/22/03-Lead Safe Springfield
Center St: 811 S.	9/26/1996	positive	n/a
Center St: 812 S.	10/15/2002	positive	10/22/03-Lead Safe Springfield
Center St: 814-816 S.	n/a	positive	9/23/02-Lead Safe Springfield
Center St: 830 S. &	n/a	positive	9/8/00-Lead Safe Springfield
Center St: 832 S.	11/10/1999	positive	9/8/00-Lead Safe Springfield
Center St: 1029 S., #1	7/27/1994	positive	<b>DEMOLISHED</b>
Center St: 1115 S.	n/a	positive	6/25/2005
Center St: 1358 1/2	10/24/2007	positive	Pending
Center St: 1561 S.	n/a	positive	Lead Safe Springfield
Center St: 1635 S.	n/a	positive	Lead Safe Springfield
Center St: 1756-1758 S.	n/a	positive	3/11/05-Lead Safe Springfield
Center St: 1773 S.	1/10/2008	positive	6/27/08-Lead Safe Springfield
Center St: 1812 S.	2/9/1989	positive	n/a
Charles St: 1578	n/a	positive	10/13/03-Lead Safe Springfield
Charles St: 1615	3/10/1998	positive	n/a
Cherokee Dr: 1230	2/17/2006	positive	6/5/2006
Chestnut Ave: 242	6/6/06-visual	positive	4/8/2003-Lead Safe Springfield
Chestnut Ave: 303	12/10/1997	positive	n/a
Chestnut Ave: 307	n/a	positive	2001-Lead Safe Springfield
Chestnut Ave: 342	6/14/2005	positive	11/17/2005
Chestnut Ave: 505 &	n/a	positive	9/1/04-Lead Safe Springfield
Chestnut Ave: 507	3/7/06 - visual	positive	9/1/04-Lead Safe Springfield

Address	Insp Date	Result	Abatement/Date
Chestnut Ave: 535	n/a	positive	6/25/2005
Chillicothe St: 41 N. S. Charleston	9/28/2004	positive	8/1/2005
Church St: 315 New Carlisle	8/2/2007	positive	<b>PLACARDED</b>
Clairmont Ave: 328 S.	9/14/2009	positive	11/5/09-Lead Safe Springfield
Clairmont Ave: 350 S.	n/a	positive	6/23/2005
	12/13/2000 09/02	positive	n/a
Clark St: 11 E.			
Clark St: 23 E.	12/20/1996	positive	<b>DEMOLISHED</b>
Clark St: 24 E.	4/13/2010	positive	Pending
Clark St: 28 E.	8/4/2000	positive	n/a
	n/a	positive	7/11/08-Lead Safe Springfield
Clark St: 18-18 1/2 W.	12/17/08	positive	Pending
Clark St: 19-21 W.	n/a	positive	9/2/08-Lead Safe Springfield
Clark St: 134 W., Apt. B	7/18/1994	positive	<b>DEMOLISHED/RE-BUILT</b>
	10/31/03 5/25/04	positive	6/3/2005-Lead Safe Springfield
Clark St: 325 W. &			
Clark St: 327 W.	n/a	positive	8/2/2005-Lead Safe Springfield
Clark St: 335-337 W.	n/a	positive	10/19/05-Lead Safe Springfield
Clark St: 410 W.	n/a	positive	3/31/05-Lead Safe Springfield
Clark St: 416 W.	n/a	positive	4/20/05-Lead Safe Springfield
Clark St: 421-421 1/2 W.	n/a	positive	7/24/03--Lead Safe Springfield
Clark St: 423 W.	n/a	positive	8/20/03-Lead Safe Springfield
Clark St: 511-513 W.	n/a	positive	3/31/03-Lead Safe Springfield
Clark St: 523 W.	n/a	positive	6/24/2005
Clark St: 524 W.	n/a	positive	2001-Lead Safe Springfield
Clark St: 529 W.	n/a	positive	6/23/2005
Clark St: 1228 W.	n/a	positive	8/10/07-Lead Safe Springfield
Clark St: 1238 W.	n/a	positive	6/23/2005
Clay St: 1312	10/17/2005	positive	<b>PLACARDED</b>
Clay St: 1825	n/a	positive	2001-Lead Safe Springfield
Clay St: 1827	n/a	positive	3/30/05-Lead Safe Springfield
Clay St: 1936	3/2/1989	positive	<b>DEMOLISHED</b>
Clifton Ave: 918	8/11/1993	positive	11/12/2002-Lead Safe Springfield
	8/17/92 7/1/1993	positive positive	n/a
Clifton Ave: 1026			
Clifton Ave: 1030 &	n/a	positive	4/21/06-Lead Safe Springfield
Clifton Ave: 1032	8/24/2005	positive	4/21/06-Lead Safe Springfield
Clifton Ave: 1104	5/17/2004	positive	<b>DEMOLISHED</b>
Clifton Ave: 1117 (-1119)	8/1/1989	positive	n/a
Clifton Ave: 1118 (-1120)	9/17/1992	positive	n/a
Clifton Ave: 1128-1128 1/2	n/a	positive	2001-Lead Safe Springfield
Clifton Ave: 1129 &	n/a	positive	3/31/03-Lead Safe Springfield
	n/a	positive	3/31/03-Lead Safe Springfield
Clifton Ave: 1131	3/9/2009	positive	<b>PLACARDED</b>
Clifton Ave: 1130	7/21/1997	positive	n/a
Clifton Ave: 1226	9/20/1994	positive	<b>DEMOLISHED</b>
Clifton Ave: 1226 1/2	4/19/2002	positive	<b>DEMOLISHED</b>
Clifton Ave: 1230	7/28/1998	positive	n/a
Clifton Ave: 1233	8/19/1993	positive	n/a
Clifton Ave: 1236	6/7/2004	positive	7/5/2005
Clifton Ave: 1308	1/7/1992	positive	n/a
Clifton Ave: 1311-1315	n/a	positive	6/30/04-Lead Safe Springfield
Clifton Ave: 1401-1403	n/a	positive	3/6/09-Lead Safe Springfield
	7/17/1997 9/16/09 9/24/09	positive positive positive	n/a Pending Pending
Clifton Ave: 1421			
Clifton Ave: 1519	n/a	positive	11/20/03-Lead Safe Springfield

Address	Insp Date	Result	Abatement/Date
Clifton Ave: 1528 &	9/18/1989	positive	2001-Lead Safe Springfield
Clifton Ave: 1528 1/2	n/a	positive	2001-Lead Safe Springfield
Clifton Ave: 1608	5/9/2003	positive	<b>DEMOLISHED</b>
Clifton Ave: 1611	2/11/2000	positive	n/a
Clifton Ave: 1765	n/a	positive	6/25/2005
Clifton Ave: 1805 &	9/1/2004	positive	12/8/2004-Lead Safe Springfield
Clifton Ave: 1807	n/a	positive	12/8/2004-Lead Safe Springfield
Clifton Ave: 1820	11/3/1994 2/2/99	positive positive	<b>DEMOLISHED</b>
Clifton Ave: 1901 &	n/a	positive	1/13/03-Lead Safe Springfield
Clifton Ave: 1901 1/2	7/3/2002	positive	1/13/03-Lead Safe Springfield
Clifton Ave: 2015	12/13/2004	positive	11/27/2006
Clifton Ave: 2109	n/a	positive	2000-Lead Safe Springfield
Clifton Ave: 2111	n/a	positive	2001-Lead Safe Springfield
Clifton Rd: 346	n/a	positive	6/22/2005
Cobb Ave: 1238	3/29/1995	<b>negative</b>	n/a
Columbia St: 806 E.	n/a	positive	Lead Safe Springfield
Columbia St: 820 &	7/30/1996	positive	Lead Safe Springfield
Columbia St: 822 E.	n/a	positive	Lead Safe Springfield
Columbia St: 520 W.	11/25/2002	positive	n/a
Columbia St: 522 1/2 W.	9/20/2004	positive	5/31/2005
Columbia St: 611 W. &	10/4/2004	positive	5/10/05-Lead Safe Springfield
Columbia St: 615 W.	n/a	positive	5/10/05-Lead Safe Springfield
Columbia St: 620 W. &	n/a	positive	3/9/07-Lead Safe Springfield
Columbia St: 622 W.	9/19/2006	positive	3/9/07-Lead Safe Springfield
Columbia St: 633 W.	n/a	positive	2000-Lead Safe Springfield
Columbia St: 633 W. (Rear)	9/2/1992 7/15/97 3/26/98	positive positive positive	<b>DEMOLISHED</b>
Columbia St: 820-822 W.	n/a	positive	8/30/06-Lead Safe Springfield
Columbia St: 827 W.	9/12/1997 11/14/97	positive positive	2/25/09-Lead Safe Springfield
Columbia St: 911 W.	n/a	positive	6/23/2005
Columbia St: 1012 W.	8/24/1994	positive	<b>DEMOLISHED</b>
Columbus Ave: 2132	n/a	positive	6/25/2005
Columbus Ave: 2134	n/a	positive soil-only	2001-Lead Safe Springfield
Columbus Ave: 2215	n/a	positive	9/6/07-Lead Safe Springfield
Columbus Ave: 2220-A	6/9/2010	positive	Pending
Columbus Ave: 2224	10/29/2007	positive	3/25/2008
Columbus Ave: 3021	9/25/2006	positive	9/28/2007
Columbus-Cincinnati Rd: 9031-B	1/13/2000	<b>negative</b>	n/a
Cora St: 1595	n/a	positive	6/25/1905
Cortland Dr City Park	4/13/2001	positive (partial)	
Cortland Dr: 716	n/a	positive	2010-Lead Safe Springfield
Cottage Ave: 1128	9/28/2000	positive	n/a
County Line Rd: 1749 E.	12/20/2004	positive	8/1/2005
Cypress St: 702	12/4/2001	positive	<b>DEMOLISHED</b>
Cypress St: 719-721	n/a	positive	11/7/08-Lead Safe Springfield
Cypress St: 803 1/2	8/28/1997	positive	n/a
Cypress St: 809 1/2	8/31/2000	positive (partial exterior only)	<b>DEMOLISHED</b>
Cypress St: 810	3/25/1997	positive	n/a
Cypress St: 816	9/17/2007	positive	12/10/2007
Cypress St: 818-820	n/a	positive	Lead Safe Springfield
Cypress St: 819	8/31/2000	positive	n/a

Address	Insp Date	Result	Abatement/Date
Cypress St: 911	6/29/1999	positive	n/a
Cypress St: 1017	n/a	positive	3/31/04-Lead Safe Springfield
Cypress St: 1019	n/a	positive	6/30/03-Lead Safe Springfield
Cypress St: 1619	12/10/2002	positive	n/a
Dayton Ave: 84	11/22/1999	positive	n/a
Dayton Ave: 405	11/19/2004	positive	10/11/2005-Lead Safe Springfield
Dayton Ave: 705 1/2	1/29/1996	positive	n/a
Dayton Rd: 6111	11/12/1997	positive	n/a
Dayton Rd: 7373	9/17/1999	positive	n/a
Delaware: 1766	n/a	positive	4/26/04-Lead Safe Springfield
Delta Rd: 1175	1/18/2006	positive	6/12/07-Lead Safe Springfield
Dialton: 5803	8/3/2004	positive	10/4/2005
Dibert Ave: 609 &	11/16/2006	positive	5/2/07-Lead Safe Springfield
Dibert Ave: 609 1/2	n/a	positive	5/2/07-Lead Safe Springfield
Douglas Ave: 29 N.	n/a	positive	6/23/2005
Douglas Ave: 227 N.	n/a	positive	6/25/2005
Douglas Ave: 266 S.	n/a	positive	6/25/2005
Douglas: 350-352 S.	n/a	positive	8/16/06-Lead Safe Springfield
Drexel Ave: 668-670	n/a	positive	2000-Lead Safe Springfield
Drexel Ave: 703	7/7/1992	positive	<b>DEMOLISHED</b>
Drexel Ave: 713	8/28/1992	positive	<b>DEMOLISHED</b>
Drexel Ave: 723	9/27/2005	positive	<b>DEMOLISHED</b>
Drexel Ave: 738	9/14/1994	positive	n/a
Drexel Ave: 803	11/14/2000 3/1/05	positive	<b>DEMOLISHED</b>
Driscoll Ave: 1014	3/20/1990	positive	n/a
Driscoll Ave: 1457	10/27/2003	positive	n/a
Dwight Rd: 2703 #27	5/25/1999	<b>negative</b>	n/a
East St: 215, Apt C-1, 3, D 1-3	n/a	positive	Lead Safe Springfield
East St: 217, Apt C-	n/a	positive	Lead Safe Springfield
East St: 219	n/a	positive	2001-Lead Safe Springfield
East St: 309	4/19/2004 1/20/05	positive positive	10/17/2004 12/14/05
East St: 312	8/6/1996	positive	n/a
East St: 319	11/23/1994	positive	n/a
East St: 620 1/2	8/26/2003	positive	n/a
East St: 732	11/22/2004	positive	11/7/2005
East St: 802	7/14/1999	positive	n/a
East St: 1600	6/5/1989	<b>negative</b>	n/a
Eden-1203	n/a	positive	6/25/2005
Edwards Ave: 1608	7/13/1989	positive	n/a
Edwards Ave: 1682	n/a	positive	5/24/05-Lead Safe Springfield
Edwards Ave: 1684	9/10/1997	positive	n/a
Edwards Ave: 1685	n/a	positive	2001-Lead Safe Springfield
Edwards Ave: 1759	n/a	positive	5/1/03-Lead Safe Springfield
Edwards Ave: 1761	8/21/2002 6/24/03	positive	n/a
Edwards Ave: 1763	11/17/2004	positive	Pending
Edwards Ave: 1816	4/17/1997	positive	n/a
Edwards Ave: 1823	n/a	positive	8/5/05-Lead Safe Springfield
Egmont: 814	n/a	positive	10/4/05-Lead Safe Springfield
Egmont: 920	10/2/2001	positive	n/a
Elder St: 854	11/18/1997	positive	n/a
Elder St: 865	12/5/2001	positive	<b>DEMOLISHED</b>
Elder St: 916 & 918	n/a	positive	10/29/02-Lead Safe Springfield
Elder St: 1012-1014	n/a	positive	7/22/02-Lead Safe Springfield
Ellsworth Ave: 459	2/28/2007	positive	<b>DEMOLISHED</b>
Ellsworth Ave: 467	11/9/1994	positive	n/a

Address	Insp Date	Result	Abatement/Date
Elm St: 629	n/a	positive	Lead Safe Springfield
Elm St: 808 &	11/9/1993	positive	10/24/08-Lead Safe Springfield
Elm St: 810	n/a	positive	10/24/08-Lead Safe Springfield
Elm St: 820-822	n/a	positive	12/22/03-Lead Safe Springfield
Elm St: 821-823	n/a	positive	4/25/08-Lead Safe Springfield
Elm St: 1129	8/9/1990	positive	n/a
Erie Ave: 2248	n/a	positive	9/8/04-Lead Safe Springfield
Erika Dr: 1400	3/17/2003	<b>negative</b>	n/a
Essex St: 914	8/8/1995	positive	<b>DEMOLISHED</b>
Essex St: 915	2/14/2000	positive	n/a
Essex Ave: 916	9/17/1993	positive	<b>DEMOLISHED</b>
Essex Ave: 917	2/14/2000 5/25/2004	positive positive	8/24/2000-Lead Safe Springfield Pending
Euclid Ave: 17 E.	10/2/2001	positive	n/a
Euclid Ave: 29 E.	12/17/1992	positive	n/a
Euclid Ave: 131 E. &	2/12/2002	positive	1/13/03-Lead Safe Springfield
Euclid Ave: 133 E.	n/a	positive	1/13/03-Lead Safe Springfield
Euclid Ave: 231 E.	1/30/1989	positive	n/a
Euclid Ave: 424 E.	5/5/1994	positive	n/a
Euclid Ave: 503 E.	10/18/1989 11/1/95 2/5/96	positive	<b>DEMOLISHED</b>
Euclid Ave: 504 E.	10/28/1993	positive	n/a
Euclid Ave: 518 E.	5/12/1994	positive	n/a
Euclid Ave: 615 E.	n/a	positive	2001-Lead Safe Springfield
Euclid Ave: 29 W. &	11/4/2002	positive	6/30/03-Lead Safe Springfield
Euclid Ave: 31 W.	n/a	positive	6/30/03-Lead Safe Springfield
Euclid Ave: 128-130 W.	n/a	positive	11/7/05-Lead Safe Springfield
Euclid Ave: 129 W.	09-25-03 5-28-04	positive	Pending
Euclid Ave: 130 W.	10/18/1995	positive	Lead Safe Springfield
Euclid Ave: 132 W.	9/22/1998	positive	n/a
Euclid Ave: 142 W.	n/a	positive	6/30/03-Lead Safe Springfield
Euclid Ave: 236 W.	11/16/1990	positive	n/a
Euclid Ave: 307 W.	6/15/2006	positive	<b>Placarded&gt;Demolished</b>
Euclid Ave: 316-316 1/2 W.	n/a	positive	6/26/09-Lead Safe Springfield
Euclid Ave: 320 W.	9/24/2008	positive	7/8/09-Lead Safe Springfield
Euclid Ave: 336 W. &	6/2/1993	positive	1/3/03-Lead Safe Springfield
Euclid Ave: 338 W.	n/a	positive	1/3/03-Lead Safe Springfield
Euclid Ave: 351 W.	9/12/2007	positive	9/4/08-Lead Safe Springfield
Euclid Ave: 402 W. &	8/30/2006	positive	4/30/07-Lead Safe Springfield
Euclid Ave: 404 W.	n/a	positive	4/30/07-Lead Safe Springfield
Euclid Ave: 406 W. &	n/a	positive	5/30/06-Lead Safe Springfield
Euclid Ave: 408 W.	9/16/2005	positive	6/13/06-Lead Safe Springfield
Euclid Ave: 427 W.	3/29/1995	positive	n/a
Euclid Ave: 640 W.	7/15/2008	positive	<b>PLACARDED</b>
Euclid Ave: 641 W.	n/a	positive	6/7/04-Lead Safe Springfield
Fair St: 212	1/26/1995 1/22/2009	positive positive	n/a <b>PLACARDED</b>
Fair St: 215	n/a	positive	9/30/03-Lead Safe Springfield
Fair St: 309	8/23/2007	positive	<b>DEMOLISHED</b>
Fair St: 312	6/13/1996	positive	<b>DEMOLISHED</b>
Fair St: 341	5/25/1995	positive	n/a
Fair St: 504	8/1/2003	positive	n/a
Farlow St: 1041	6/23/2004	positive	2/7/2005
Farlow St: 1043	10/28/1993	positive	n/a
Farnam St: 919	7/20/1999	<b>negative</b>	

Address	Insp Date	Result	Abatement/Date
First: 916 W.	n/a	positive	6/12/08-Lead Safe Springfield
Florence St: 112 N.	9/12/1990	positive	n/a
Florence St: 204 1/2 N.	6/6/1994	positive	n/a
Florence St: 212 W.	8/9/1989	positive	n/a
Florence St: 504 N.	5/16/2006	positive	9/11/2007
Florence St: 714 N.	n/a	positive	6/15/05-Lead Safe Springfield
Florence St: 717 N.	n/a	positive	6/3/05-Lead Safe Springfield
Florence St: 718 N.	n/a	positive	7/17/07-Lead Safe Springfield
Florence St: 734 N.	7/23/2001 4/30/02	positive	2002-Lead Safe Springfield
Florence St: 755 N.	8/24/1998 5/11/07 6/23/10	positive positive positive	Pending
Florence St: 761 N.	n/a	positive	6/25/2005
Fountain Ave: 120 N.	12/19/2002	<b>negative</b>	
Fountain Ave: 904 N.	5/5/1994	positive	n/a
Fountain Ave: 914 N.	6/9/2005	positive	<b>DEMOLISHED</b>
Fountain Ave: 1002 &	n/a	positive	6/20/08-Lead Safe Springfield
Fountain Ave: 1002 1/2 N.	11/26/2007	positive	6/26/08-Lead Safe Springfield
Fountain Ave: 117 S.	7/28/1997	positive	n/a
Fountain Ave: 135 1/2 S.	2/3/1992	positive	<b>DEMOLISHED</b>
Fountain Ave: 402 S. Apt 1	10/1/1990	positive	<b>DEMOLISHED</b>
Fountain Ave: 403 S. Apt. 3	11/18/2004	positive	<b>PLACARDED</b>
Fountain Ave: 403 S. Apt. 4	11/9/1994	positive	n/a
Fountain Ave: 409-411-411 1/2-413-415	n/a	positive	6/22/09-Lead Safe Springfield
Fountain Ave: 515 S.	n/a	positive	2001-Lead Safe Springfield
Fountain Ave: 537 S.	11/9/1993	positive	n/a
Fountain Ave: 608 S. Apt.3	7/13/1989 8/4/94	positive	<b>DEMOLISHED</b>
Fountain Ave: 621 S. Apt.6	7/13/1989	positive	<b>DEMOLISHED</b>
Fountain Ave: 817 1/2 S.	9/15/1999	positive	<b>DEMOLISHED</b>
Fountain Ave: 829 1/2 S.	1/6/1992	positive	n/a
Fountain Ave: 901 S., Apt 8:	6/16/1993	positive	n/a
Fountain Ave: 915 1/2 S.	8/16/2005	positive	<b>PLACARDED</b>
Fountain Ave: 924 S.	n/a	positive soil-only	2001-Lead Safe Springfield
Fountain Ave: 1002 S.	8/20/1996	positive	n/a
Fountain Ave: 1123 S. &	n/a	positive	1/7/05-Lead Safe Springfield
Fountain Ave: 1123 1/2 S.	6/7/2004	positive	1/7/05-Lead Safe Springfield
Fountain Ave: 1204 S.	n/a	positive	1999-Lead Safe Springfield
Fountain Ave: 1205 S.	11/9/1994	positive	2000-Lead Safe Springfield
Fountain Ave: 1216 S.	3/29/1995	positive	n/a
Fountain Ave: 1220 S.	10/6/2000	positive	n/a
Fountain Ave: 1254 S.	6/12/2003	positive	n/a
Fountain Ave: 1262 S.	n/a	positive	2001-Lead Safe Springfield
Fountain Ave: 1308 S.	4-26-04 6/9/04 10/15/04 11/15/04 12/20/04	positive	<b>PLACARDED</b>
Fountain Ave: 1309 S.	9/26/2002	positive	n/a
Fountain Ave: 1414 S.	7/11/2006	positive	1/18/07-Lead Safe Springfield
Fountain Ave: 1420-1420 1/2 S.	n/a	positive	2001-Lead Safe Springfield
Fountain Ave: 1618 S. &	2/1/1999	positive	2000-Lead Safe Springfield
Fountain Ave: 1620 S.	n/a	positive	2000-Lead Safe Springfield
Fountain Ave: 1783 S.	3/28/2000	positive	2001-Lead Safe Springfield
Fountain Ave: 1787 S. &	n/a	positive	12/27/05-Lead Safe Springfield
Fountain Ave: 1789 S.	7/2/2004	positive	12/27/05-Lead Safe Springfield

Address	Insp Date	Result	Abatement/Date
Fountain Ave: 1821 S.	6/23/2003	positive	n/a
Fountain Ave: 1851 S.	12/15/1994	positive	4/14/04-Lead Safe Springfield
Franklin St: 262	n/a	positive	7/23/02-Lead Safe Springfield
Freeman St: 52-54 S.	n/a	positive	1/13/03-Lead Safe Springfield
Freemont Ave: 112-114	n/a	positive	Lead Safe Springfield
Fremont Ave: 131	7/8/1993	positive	n/a
Gallagher St: 362	8/31/2005	positive	<b>PLACARDED</b>
Gallagher St: 517	5/10/1999	positive	n/a
Gallagher St: 523 (-525)	2/3/2003	<b>negative</b>	n
Gallagher St: 527	9/10/2007	positive	2/14/2008
Gallagher St: 536	2/12/1996	positive	n/a
Gallagher St: 538	6/20/1991	positive	<b>DEMOLISHED</b>
Gallagher St: 610	10/2/2002	positive	10/15/03-Lead Safe Springfield
Garfield Ave: 727	n/a	positive	2010-Lead Safe Springfield
Garfield Ave: 1020 & 1022	2/4/1993	positive	n/a
Gerald Dr: 2223	4/30/1993	<b>negative</b>	n/a
Gladden Ave: 2438	11/25/2002	positive	n/a
Glenn Ave: 349 1/2	9/26/2000	positive	n/a
Glenn Ave: 351	1/5/1995	positive	n/a
Glenn Ave: 418-420	n/a	positive	2001-Lead Safe Springfield
Glenwood Ave: 29 &	2/9/1999	positive	3/22/07-Lead Safe Springfield
Glenwood Ave: 29 1/2	n/a	positive	3/22/07-Lead Safe Springfield
Glenwood Ave: 105	n/a	positive	5/20/09-Lead Safe Springfield
Gothic: 910 1/2	7/30/2001	positive	n/a
Gothic: 924	n/a	positive	11/20/03-Lead Safe Springfield
Grand Ave: 17 E.	6/15/1989	positive	<b>DEMOLISHED</b>
Grand Ave: 18 E.	7/30/1996	positive	<b>DEMOLISHED/RE-BUILT</b>
Grand Ave: 22-24 E.	n/a	positive	4/6/05-Lead Safe Springfield
Grand Ave: 121 E.	11/18/1999	positive	<b>DEMOLISHED</b>
Grand Ave: 123 1/2 E.	9/27/1993	positive	n/a
Grand Ave: 130 E.	3/28/1996	positive	<b>DEMOLISHED</b>
Grand Ave: 139 E.	8/1/1989	positive	n/a
Grand Ave: 148 E.	9/30/2004	positive	9/7/05-Lead Safe Springfield
Grand Ave: 154 E. &	12/4/2008	positive	5/28/09-Lead Safe Springfield
Grand Ave: 156 E. &	n/a	positive	5/28/09-Lead Safe Springfield
Grand Ave: 220-220 1/2 E.	n/a	positive	12/15/03-Lead Safe Springfield
Grand Ave: 223 E.	8/27/1998	positive	n/a
Grand Ave: 224 E.	10/25/1990	positive	n/a
Grand Ave: 228 E.	11/18/2002	positive	n/a
Grand Ave: 223 E.	8/11/03	positive	n/a
Grand Ave: 233 E.	10/22/1996	positive	n/a
Grand Ave: 301 E.	9/27/1989	<b>negative</b>	n/a
Grand Ave: 301 E. (rear)	8/04/09	positive	Pending
Grand Ave: 301 E. (rear)	8/4/2009	positive	Pending
Grand Ave: 438 E.	9/24/2008	positive	3/18/09-Lead Safe Springfield
Grand Ave: 501 1/2 E.	6/29/1993	positive	<b>DEMOLISHED</b>
Grand Ave: 518 E.	5/17/2007	positive	1/15/2008
Grand Ave: 541 E. &	n/a	positive	2001-Lead Safe Springfield
Grand Ave: 541 1/2 E.	6/7/2000	positive	2001-Lead Safe Springfield
Grand Ave: 19 W.	1/4/1994	positive	<b>DEMOLISHED</b>
Grand Ave: 24 W.	7/9/2002	positive	n/a
Grand Ave: 113 W.	8/12/2006	positive	Pending
Grand Ave: 116 W.	4/26/2002	positive	n/a
Grand Ave: 120 W.	9/20/1994	positive	n/a
Grand Ave: 220-220 1/2 W.	n/a	positive	Lead Safe Springfield
Grand Ave: 223 W.	n/a	positive	6/23/2005
Grand Ave: 239 W.	n/a	positive	8/1/03-Lead Safe Springfield
Grand Ave: 240 W.	n/a	positive	12/30/05-Lead Safe Springfield

Address	Insp Date	Result	Abatement/Date
Grand Ave: 307 W.	8/27/1997	positive	n/a
Grand Ave: 325 W.	6/3/1997	positive	n/a
Grand Ave: 605-607 W.	n/a	positive	4/18/03-Lead Safe Springfield
Grand Ave: 614 W.	3/28/2000	positive	<b>DEMOLISHED</b>
Grand Ave: 645 W.	9/6/2006	positive	<b>PLACARDED</b>
Grand Ave: 929 W.	9/21/2001	positive	9/19/03-Lead Safe Springfield
Grant St: 412	8/29/2005	positive	Pending
Grant St: 427 1/2	5/18/2005	positive	9/7/2005
Grant St: 719	5/10/1999	positive	n/a
Grant St: 724 &	10/31/2006	positive	7/6/07-Lead Safe Springfield
Grant St: 724 1/2	10/31/2006	positive	7/6/07-Lead Safe Springfield
Grant St; 900-902-902 1/2	n/a	positive	10/5/07-Lead Safe Springfield
Greenmount Ave: 27 N.	5/16/1994	positive	n/a
Greenmount Ave: 119 N.	n/a	positive	10/13/03-Lead Safe Springfield
Greenmount Ave: 126 N.	12/30/2009	positive	Pending
Greenmount Ave: 210-212 S.	n/a	positive	11/7/08-Lead Safe Springfield
Greenmount Ave: 218 S. &	10/6/2005	positive	7/1/06-Lead Safe Springfield
Greenmount Ave: 220 S.	n/a	positive	7/1/06-Lead Safe Springfield
Greenmount Ave: 311 S.	03-30-04 6-11-04	positive	12/15/2006
Greenfield Ave: 918	7/8/2002	positive	n/a
Haddix: 10889	9/6/2001	positive	n/a
Hadley Rd: 2115 N.	8/27/2004	<b>negative</b>	n/a
Harding Rd: 723 W.	12/14/2000	positive	n/a
Harrison St: 503	7/9/2007	positive	12/10/2007
Heard Ave: 1050	10-08-03 6-25-04	positive	6/6/2005
Heide Rd: 3211	7/8/2002	<b>negative</b>	n/a
Hensel Ave: 362		positive (partial)	n/a
High St: 731 E. Apt.12	1/11/2001	positive (partial)	n/a
High St: 999 E., Apt. A &	n/a	positive	2001-Lead Safe Springfield
High St: 999 E., Apt. A 1/2 &	n/a	positive	2001-Lead Safe Springfield
High St: 999 E., Apt. B &	n/a	positive	2001-Lead Safe Springfield
High St: 999 E., Apt. B 1/2	n/a	positive	2001-Lead Safe Springfield
High St: 1001 E., Apt. A-1 &	n/a	positive	2001-Lead Safe Springfield
High St: 1001 E., Apt. A-2 &	n/a	positive	2001-Lead Safe Springfield
High St: 1001 E., Apt. A-3 &	n/a	positive	2001-Lead Safe Springfield
High St: 1001 E., Apt. B-1 &	n/a	positive	2001-Lead Safe Springfield
High St: 1001 E., Apt. B-2 &	n/a	positive	2001-Lead Safe Springfield
High St: 1001 E., Apt. B-3	n/a	positive	2001-Lead Safe Springfield
High St: 1231 E., Apt A,B,C &	n/a	positive	11/17/06-Lead Safe Springfield
High St: 1231 E., Apt D	3/25/2005	positive	11/17/06-Lead Safe Springfield
High St: 1405 E.	n/a	positive	11/7/08-Lead Safe Springfield
High St: 1834 1/2 E.	3/12/2001	positive	n/a
High St: 2315 E.	6/7/2001	positive (partial)	<b>DEMOLISHED</b>
High St: 2350 E.	6/7/2001	positive (partial)	n/a
High St: 2524 E.	n/a	positive	5/24/05-Lead Safe Springfield
High St: 2803 E.	n/a	positive	12/2/05-Lead Safe Springfield
High St: 407 W.	9/17/1996	positive	n/a
High St: 420 1/2 W.	6/14/2004	positive	<b>PLACARDED</b>
High St: 512 W.	3/1/2007	positive	5/15/2007
High St: 532 W.	7/19/2001	positive	n/a
High St: 534 W.	6/21/2001 7/22/02	positive	n/a

Address	Insp Date	Result	Abatement/Date
High St.: 715 W. &	7/7/2008	positive	8/22/03-Lead Safe Springfield 10/28/08
High St: 717 W.	8/25/00 12/13/00	positive	8/22/03-Lead Safe Springfield
High St: 812 W. &	n/a	positive	2/19/03-Lead Safe Springfield
High St: 814 W.	10/8/2002 8/3/09	positive positive	2/19/03-Lead Safe Springfield 10/19/09
High St: 818 W.	7/19/1995	positive	n/a
High St: 824 W.	9/10/1996	positive	<b>DEMOLISHED</b>
High St: 834 W. &	n/a	positive	Lead Safe Springfield
High St: 834 1/2 W.	8/1/1996	positive	Lead Safe Springfield
High St: 836 W.	n/a	positive	Lead Safe Springfield
High St: 1002 W.	n/a	positive	4/27/06-Lead Safe Springfield
High St: 1027 W., #2, 3, 4	n/a	positive	10/17/08-Lead Safe Springfield
High St: 1028 &	n/a	positive	10/10/08-Lead Safe Springfield
High St: 1030 W.	1/28/2008	positive	10/10/08-Lead Safe Springfield
High St: 1035 W.	10/17/1996	positive	n/a
High St: 1036 W.	10/1/2002	positive	n/a
W High St: 1205 W. &	11/01/00 2/1/06	positive- (partial) positive	10/1/06-Lead Safe Springfield
High St: 1205 1/2 W.	11/1/2000	positive (partial)	10/1/06-Lead Safe Springfield
High St: 1229 W. &	11/17/1994	positive	n/a
High St: 1231 W.	5/17/1999	positive	n/a
High St: 1813 W.	4/12/1999	positive	n/a
High St: 1834 W. &	n/a	positive	2001-Lead Safe Springfield
High St: 1834 1/2 W.	8/21/2000	positive	2001-Lead Safe Springfield
High St: 1901 W. &	8/21/2000	positive (partial)	7/30/04-Lead Safe Springfield
High St: 1901 1/2 W.	n/a	positive	7/30/04-Lead Safe Springfield
High St: 1908 W.	10/19/2004	<b>negative</b>	n/a
High St: 2000 E.	2/19/2002	<b>negative</b>	n/a
Highland Ave: 1668-1668 1/2	n/a	positive	2001-Lead Safe Springfield
Highland Ave: 1703	n/a	positive	6/25/2005
Highland Ave: 1826	11/29/2006	positive	<b>PLACARDED</b>
Hillcrest Dr: 1024	4/19/2002 11/7/03 8/16/05	positive	Pending
Hillside Ave: 1809	n/a	positive	6/23/2005
Hillside Ave: 1815	3/6/2009	positive	9/22/09-Lead Safe Springfield
Hillside Ave: 2341	5/3/1999	positive	n/a
Hillside Ave: 2436	8/21/09	positive	3/16/10-Lead Safe Springfield
Hilltop Ave: 2478	2/2/2005	positive	10/4/2005
Hilltop Ave: 2639	n/a	positive	10/27/07-Lead Safe Springfield
Homeview Ave: 512 &	4/17/1989 7/10/01	positive	Lead Safe Springfield
Home Orchard Dr: 2516	n/a	positive	6/25/2005
Homeview Ave: 512 &	4/17/1989	positive	10/13/03-Lead Safe Springfield
Homeview Ave: 514	n/a	positive	10/13/03-Lead Safe Springfield
Homeview Ave: 518 1/2	2/23/1995	positive	n/a
Homeview Ave: 525	1/8/1993	positive	n/a
Homeview Ave: 604	11/2/2006	positive	<b>PLACARDED</b>
Homeview Ave: 605	12/30/2004	positive	<b>DEMOLISHED</b>
Homeview Ave: 664 1/2	7/6/2005	positive	3/15/2007
Hoppes Ave: 2154	11/19/2002	positive	3/25/03-Lead Safe Springfield
Houston Pike: 4074	11/2/2000	positive	n/a
Howard St: 22 &	7/22/2004	positive	1/9/06-Lead Safe Springfield

Address	Insp Date	Result	Abatement/Date
Howard St: 22 1/2	n/a	positive	1/9/06-Lead Safe Springfield
Hubert Ave: 418 S.	6/7/2000	positive	n/a
Huron Ave: 2142	11/1/1993	positive	n/a
Innisfallen Ave: 927	n/a	positive	8/11/04-Lead Safe Springfield
Innisfallen Ave: 1106	n/a	positive	9/17/03-Lead Safe Springfield
Innisfallen Ave: 1426	n/a	positive	6/24/2005
Irwin Ave: 1719	n/a	positive soil-only	2001-Lead Safe Springfield
Irwin Ave: 1806 &	1/3/2007	positive	3/24/07-Lead Safe Springfield
Irwin Ave: 1808	n/a	positive	3/24/07-Lead Safe Springfield
Irwin Ave: 2334	10/31/2007	positive	9/11/08-Lead Safe Springfield
Isabella St: 309 N.	2/1/1996	positive	n/a
Isabella St: 410-412 N.	n/a	positive	11/17/05-Lead Safe Springfield
Jackson St: 26 1/2 N.	11/6/2003	positive	n/a
Jackson: 312 N. &	n/a	positive	2001-Lead Safe Springfield
Jackson St: 314 N.	4/2/2003 11/18/03	positive positive	2001-Lead Safe Springfield Abated-12/18/2003
Jackson St: 316 N. &	8/19/1993	positive	8/20/03-Lead Safe Springfield
Jackson St: 318 N.	n/a	positive	8/20/03-Lead Safe Springfield
Jackson St: 320-320 1/2 N.	n/a	positive	7/1/05-Lead Safe Springfield
Jackson St: 323 N.	10/27/1994	positive	n/a
Jackson St: 402 N.	9/6/1994	positive	n/a
Jackson St: 426 N.	1/15/2008	positive	<b>PLACARDED</b>
Jackson St: 1202 S.	1/27/1998	positive	n/a
Jasper St: 918	n/a	positive	2000-Lead Safe Springfield
Jasper: 1011-1013	n/a	positive	5/9/02-Lead Safe Springfield
Jasper: 1020-1020 1/2	n/a	positive	3/27/09-Lead Safe Springfield
Jefferson St: 213 W.	11/17/1994	positive	n/a
Jefferson St: 231 W.	1/26/1995	positive	<b>DEMOLISHED</b>
Jefferson St: 320 W. &	12/17/2004	positive	3/31/03-Lead Safe Springfield 2/14/06
Jefferson St: 322 W.	12/22/1994	positive	3/31/03-Lead Safe Springfield
Jefferson St: 325	2/26/1996	positive	n/a
Jefferson St: 511 1/2 W.	8/11/2004	positive	<b>PLACARDED</b>
Jefferson St: 513 W. Apt. B	6/1/1995	positive	n/a
Jefferson St: 622 W.	5/16/2004	positive	8/26/05-Lead Safe Springfield
Jefferson St: 652-654 W.	n/a	positive	6/30/04-Lead Safe Springfield
Jefferson St: 657 W. &	9/14/1994	positive	7/24/06-Lead Safe Springfield
Jefferson St: 659 W.	1/23/2006	positive	7/24/06-Lead Safe Springfield
Jefferson St: 667 W.	10/30/1993	positive	n/a
Jefferson St: 674 W., Apt. C	10/4/2006 11/28/06	positive	6/26/2007
Jefferson St: 683 W.	11/15/2001	positive	n/a
Jefferson St: 909 W.	n/a	positive	4/24/03-Lead Safe Springfield
Jefferson St: 1115 W.	2/2/1999	positive	n/a
John St: 290 E.	10/15/1996	<b>negative</b>	n/a
John St: 292 E.	4/14/2003	positive	7/3/2003
John St: 286 E.	6/21/1989	positive	n/a
John St: 437 E.	1/8/1996	positive	n/a
John St: 1110 E. Apt. 46	2/2/1995	<b>negative</b>	n/a
John St: 1205 E. Apt. G	1/10/1994	<b>negative</b>	n/a
John St: 1209 E. Apt. D	6/28/1994	<b>negative</b>	n/a
Jordan Dr: 1931 Apt. C	8/1/2003	<b>negative</b>	n/a
Jordan Dr: 1932 Apt. F	6/10/2002	<b>negative</b>	n/a
Jordan Dr: 1936 Apt. B	12/5/2001	<b>negative</b>	n/a
Juniper: 1303-1305	n/a	positive	4/20/09-Lead Safe Springfield
Juniper: 1306-1308	n/a	positive	10/26/06-Lead Safe Springfield
Karr St: 1605	11/5/2002	positive	n/a

Address	Insp Date	Result	Abatement/Date
Kennilworth: 2111-2115	n/a	positive	6/8/09-Lead Safe Springfield
Kenton St: 725	10/8/1996	positive	<b>DEMOLISHED</b>
Kenton St: 742	2/25/2005	positive	8/11/05-Lead Safe Springfield
Kenton St: 750	5/20/1993 12/14/98	positive positive	n/a
Kenton St: 1075	9/30/2002 9/3/03	positive	6/1/07-Lead Safe Springfield
Kenton St: 1603	n/a	positive	4/20/07-Lead Safe Springfield
Kenton St: 1959	5/21/2004	positive	9/27/04-Lead Safe Springfield
Kenton St: 2333	n/a	positive	6/24/2005
Kentucky Ave: 1815	2/23/1995	<b>negative</b>	n/a
Kentucky Ave: 1822	n/a	positive soil-only	2001-Lead Safe Springfield
Kenwood Ave: 1402	11/7/2006	positive	3/16/2007
Kewberry St: 126	1/11/1993	positive	n/a
Klobdenz St: 1321	11/3/1994	positive	n/a
Klobdenz St: 1371	7/7/2005	positive	6/22/06-Lead Safe Springfield
Lafayette-1056	n/a	positive	6/24/2005
Lafayette Ave: 1101	n/a	positive	2001-Lead Safe Springfield
Lagonda Ave: 28	10/16/2003	positive	n/a
Lagonda Ave: 33 &	n/a	positive	4/19/05-Lead Safe Springfield
Lagonda Ave: 35	5/27/2004	positive	4/19/05-Lead Safe Springfield
Lagonda Ave: 118	n/a	positive	6/25/2005
Lagonda Ave: 800	12/20/2002	positive	n/a
Lagonda Ave: 847	n/a	positive	6/23/2005
Lagonda Ave: 907	12/29/1999	positive	n/a
Lagonda Ave: 1014 &	10/16/2002	positive	6/25/2005
Lagonda Ave: 1014 1/2	n/a	positive	6/25/2005
Lagonda Ave: 1043	8/19/1993	positive	n/a
Lagonda Ave: 1134	8/25/1998	positive	1/2/04-Lead Safe Springfield
Lagonda Ave: 1138	n/a	positive	11/25/03-Lead Safe Springfield
Lagonda Ave: 1174 Rear	9/14/1994	positive	n/a
Lagonda Ave: 1186	n/a	positive	2001-Lead Safe Springfield
Lagonda Ave: 1206	5/11/00 8/18/2000	positive	n/a
Lagonda Ave: 1209	08-04-00 5-10-04	positive	<b>PLACARDED</b>
Lagonda Ave: 1408	12/22/1994 11/3/2000	positive positive	n/a
Lagonda Ave: 1438	n/a	positive	5/29/03-Lead Safe Springfield
Lagonda Ave: 1501	6/29/1993	positive	n/a
Lagonda Ave: 1610	8/4/1994	positive	n/a
Lagonda Ave: 1623	n/a	positive	3/10/03-Lead Safe Springfield
Lagonda Ave: 1640	n/a	positive	2001-Lead Safe Springfield
Lagonda Ave: 2718	1/6/1998	positive	n/a
Lamar: 1315	n/a	positive	6/20/08-Lead Safe Springfield
Lansdowne: 18 W.	n/a	positive	4/6/09-Lead Safe Springfield
Lansdowne: 255	n/a	positive	12/3/02-Lead Safe Springfield
Lawnview Ave: 111	n/a	positive	2001-Lead Safe Springfield
Lexington Ave: 1501	9/30/1993	positive	n/a
Lexington Ave: 1506	7/7/2010	positive	Pending
Lexington Ave: 1560 1/2	11/30/1993	positive	n/a
Lexington Ave: 1608 &	1/28/00 visual	positive	10/22/03-Lead Safe Springfield
Lexington Ave: 1610	1/28/2000	positive	10/22/03-Lead Safe Springfield
Lexington Ave: 1614	1/28/1997	positive	<b>DEMOLISHED</b>
Lexington Ave: 1701 1/2 Apt. A	7/27/1994	positive	Lead Safe Springfield
Lexington Ave: 1800	10/7/2002	positive	n/a

Address	Insp Date	Result	Abatement/Date
Lexington Ave: 2005	n/a	positive	2000-Lead Safe Springfield
Liberty Ave: 1227	11/1/1999	negative	n/a
Liberty St: 9 E.	12/28/1995 1/8/96	positive	<b>DEMOLISHED</b>
Liberty St: 11 E.	11/16/1995 9/25/96 10/1/96	positive positive positive	<b>DEMOLISHED</b>
Liberty St: 27 E.	12/5/2008	positive	3/17/2009
Liberty St: 131 E.	6/2/2000	positive	n/a
Liberty St: 422 E.	11/3/1994	positive	<b>DEMOLISHED</b>
Liberty St: 437 E.	12/15/2004	positive	<b>PLACARDED</b>
Liberty St: 444 E.	7/13/2001	positive	<b>DEMOLISHED</b>
Liberty St: 509 E.	5/24/1994	positive	<b>DEMOLISHED</b>
Liberty St: 512 E., Apt. C	2/11/1998	positive	<b>DEMOLISHED</b>
Liberty St: 519 E.	4/15/1996	positive	n/a
Liberty St: 521 E.	2/10/1993	positive	<b>DEMOLISHED</b>
Liberty St: 522 E.	1/17/2007	positive	<b>DEMOLISHED</b>
Liberty St: 524 E.	7/30/07 8/29/07	positive positive	<b>DEMOLISHED</b>
Liberty St: 525 E.	10/1/1997	positive	n/a
Liberty St: 15 W.	10/20/1994 11/5/09	positive positive	n/a Pending
Liberty St: 17 W.	8/12/2009	positive	Pending
Liberty St: 23 W.	1/26/1999	positive	n/a
Liberty St: 29 W.	8/30/1990	positive	<b>DEMOLISHED</b>
Liberty St: 37-37 1/2-39 W.	n/a	positive	5/28/03-Lead Safe Springfield
Liberty St: 136 W.	12/29/2004	positive	6/6/2005
Liberty St: 140 W.	n/a	positive	8/26/04-Lead Safe Springfield
Liberty St: 209 W.	n/a	positive	11/7/05-Lead Safe Springfield
Liberty St: 215 W.	n/a	positive	5/4/05-Lead Safe Springfield
Liberty St: 222 W.	6/12/2003	positive	n/a
Liberty St: 343 W.	6/1/1995	positive	n/a
Liberty St: 401 W.	9/21/2007	positive	5/30/08-Lead Safe Springfield
Liberty St: 414 W. &	4/30/1996	positive	1/14/03-Lead Safe Springfield
Liberty St: 416 W.	n/a	positive	1/14/03-Lead Safe Springfield
Liberty St: 502 W.	7/8/1997	positive	n/a
Liberty St: 724 W.	10/26/1994	positive	n/a
Liberty St: 818 W.	7/8/1993	positive	n/a
Liberty St: 912 W.	3/11/1996	positive	n/a
Liberty St: 932 W.	n/a	positive	2001-Lead Safe Springfield
Light St: 9 N.	1/17/1989	positive	<b>DEMOLISHED</b>
Light St: 120-122 N.	n/a	positive	9/12/08-Lead Safe Springfield
Light St: 124 N. &	1/3/2008	positive	6/26/08-Lead Safe Springfield
Light St: 126 N.	n/a	positive	6/26/08-Lead Safe Springfield
Light St: 218 N.	7/27/2007	positive	<b>PLACARDED</b>
Light St: 318 N.	3/26/2010	positive	Pending
Light St: 466-468 N.	n/a	positive	8/26/04-Lead Safe Springfield
Light St: 512 N.	2-20-03 12-8-04	positive	<b>DEMOLISHED</b>
Light St: 521 N.	7/31/2001	positive	n/a
Light St: 11 S.	10/26/1994	positive	<b>DEMOLISHED</b>
Light St: 17-19 S.	n/a	positive	11/28/09-Lead Safe Springfield
Light St: 21 S. &	n/a	positive	11/8/06-Lead Safe Springfield
Light St: 23 S.	5/19/2006	positive	1/12/07-Lead Safe Springfield
Light St: 119-119 1/2 S.	n/a	positive	3/9/04-Lead Safe Springfield
Light St: 135 1/2	10/22/1998	positive	n/a
Light St: 137 1/2 S.	4/17/1990 10/22/98	positive positive	n/a

Address	Insp Date	Result	Abatement/Date
Light St: 146 1/2 S.	11/28/2005	positive	Pending
Light St: 202 S.	6/22/1993	positive	n/a
Light St: 203 S.	12/7/1995 1/11/96	positive	n/a
Light St: 209 S.	10-08-03 9/7/04	positive	10/28/05-Lead Safe Springfield
Light St: 517-517 1/2 S.	n/a	positive	10/4/02-Lead Safe Springfield
Limestone St: 1001 N. &	12/20/2006	positive	7/10/07-Lead Safe Springfield
Limestone St: 1001 1/2 N. &	n/a	positive	7/10/07-Lead Safe Springfield
Limestone St: 1003 N.	2/13/1996	positive	7/10/07-Lead Safe Springfield
Limestone St: 1003 1/2 N.	8/1/2003	positive	7/10/07-Lead Safe Springfield
Limestone St: 1014 N.	11/21/1997	positive	n/a
Limestone St: 1331 N.	10/16/2003	positive	n/a
Limestone St: 1658 N.	8/3/2004	positive	<b>DEMOLISHED</b>
Limestone St: 1829 N.	3/28/2000	<b>negative</b>	<b>n/a</b>
Limestone St: 1934 N.	2/2/1999	positive	n/a
Limestone St: 2348 N. #1	1/26/1999	<b>negative</b>	n/a
Limestone St: 2350 N. #109	6/1/2004	<b>negative</b>	n/a
Limestone St: 2354 N. #201	11/5/2002	<b>negative</b>	n/a
Limestone St: 501 S. #7	7/25/1997	positive	n/a
Limestone St: 501 S. #24	8/20/1996	positive	n/a
Limestone St: 501 S. #31	8/15/1991	positive	n/a
Limestone St: 559 S.	3/15/1996	positive	n/a
Limestone St: 563 S. &	4/2/1996	positive	n/a
Limestone St: 563 1/2 S.	6/4/1996	positive	n/a
Limestone St: 617 S. &	7/25/1997	positive	<b>DEMOLISHED</b>
Limestone St: 617 1/2 S.	8/24/1994	positive	<b>DEMOLISHED</b>
Limestone St: 631 S.	1/8/1992	positive	<b>DEMOLISHED</b>
Limestone St: 723 S.	10/12/00 11/1/00	positive	<b>DEMOLISHED</b>
Limestone St: 817 S. &	9/12/2001	positive	n/a
Limestone St: 819 S.	9/12/2001	positive	n/a
Limestone St: 827 S.	8/23/1994	positive	n/a
Limestone St: 833 1/2 S.	2/12/1998	positive	n/a
Limestone St: 904 1/2 S.	8/2/1990	positive	n/a
Limestone St: 907-913 S.	n/a	positive	9/17/03-Lead Safe Springfield
Limestone St: 926-930 S.	n/a	positive	10/13/03-Lead Safe Springfield
Limestone St: 1003 S.	2/13/1996	positive	<b>DEMOLISHED</b>
Limestone St: 1003 1/2 S.	8/1/2003	positive	<b>DEMOLISHED</b>
Limestone St: 1014 S.	11/21/1997	positive	<b>DEMOLISHED</b>
Limestone St: 1108 1/2 S.	7/27/1990	positive	<b>DEMOLISHED</b>
Limestone St: 1210 S.	8/1/1991 8/26/08	positive positive	n/a 1/30/09-Lead Safe Springfield
Limestone St: 1226 S.	8/11/1993	positive	n/a
Limestone St: 1257 S.	8/27/1998	positive	<b>DEMOLISHED</b>
Limestone St: 1302 S.	8/10/2007	positive	3/25/2008
Limestone St: 1307 S.	10/20/1994	positive	n/a
Limestone St: 1315 S.	4/29/1996	positive	<b>DEMOLISHED</b>
Limestone St: 1316 S.	1/22/1993	positive	<b>DEMOLISHED</b>
Limestone St: 1320 S. &	n/a	positive	6/30/04-Lead Safe Springfield
Limestone St: 1322 S.	10/23/2003	positive	6/30/04-Lead Safe Springfield
Limestone St: 1411 S.	2/10/2006	positive	10/16/2007
Limestone St: 1412 S.	1/26/1995	positive	n/a
Limestone St: 1505-1507 S.	n/a	positive	4/23/07-Lead Safe Springfield
Limestone St: 1515 S.	10/8/1991	positive	<b>DEMOLISHED</b>
Limestone St: 1518-1518 1/2 S.	n/a	positive	6/19/02-Lead Safe Springfield
Limestone St: 1554 S.	9/29/2006	positive	<b>PLACARDED</b>
Limestone St: 1602-1602 1/2 S.	n/a	positive	2000-Lead Safe Springfield

Address	Insp Date	Result	Abatement/Date
Limestone St: 1614 S.	5/24/1994	positive	n/a
Limestone St: 1621 S.	n/a	positive	6/25/2005
Limestone St: 1622-1624 S.	n/a	positive	8/2/04-Lead Safe Springfield
Limestone St: 1762 S.	5/24/2007	positive	<b>PLACARDED</b>
Limestone St: 1776-1778 S.	n/a	positive	2001-Lead Safe Springfield
Limestone St: 1784-1784 1/2 S.	n/a	positive	6/12/02-Lead Safe Springfield
Lincoln Park S: 1885	3/28/2002	<b>negative</b>	n/a
Linden Ave: 420	n/a	positive	6/25/2005
Linden Ave: 430	7/19/1996	positive	<b>DEMOLISHED</b>
Linden Ave: 432	7/29/2003	positive	n/a
Linden Ave: 502	6/20/1997	positive	n/a
Linden Ave: 504	6/10/2002	positive	n/a
Linden Ave: 532	12/12/1989	positive	<b>DEMOLISHED</b>
Linden Ave: 534	6/8/1995	positive	n/a
Linden Ave: 537	7/11/2001	positive	n/a
Linden Ave: 613 1/2	11/6/1990	positive	n/a
	6/22/1993		
Linden Ave: 718	12/8/94	positive	<b>DEMOLISHED</b>
Linden Ave: 735	n/a	positive	2001-Lead Safe Springfield
Linden Ave: 737	n/a	positive	2000-Lead Safe Springfield
Linden Ave: 743	11/8/2007	positive	<b>PLACARDED</b>
Linden Ave: 808 &	n/a	positive	2010-Lead Safe Springfield
Linden Ave: 810	7/27/2009	positive	1/15/10-Lead Safe Springfield
Linden Ave: 812	9/7/1999	postive	n/a
Linden Ave: 820 1/2	8/15/1997	positive	<b>DEMOLISHED</b>
Linden Ave: 821	9/23/2005	positive	<b>DEMOLISHED</b>
Linden Ave: 823	9/21/1994	positive	<b>DEMOLISHED</b>
Linden Ave: 827	6/16/1993	positive	<b>DEMOLISHED</b>
Linden Ave: 902 1/2	6/15/2001	positive	<b>DEMOLISHED</b>
	4/29/1993	positive	
Linden Ave: 907 &	1/7/97	positive	n/a
	4/29/1993	positive	
Linden Ave: 909	9/11/07	positive	11/14/2007
Linden Ave: 932	8/1/2001	positive	n/a
Linden Ave: 932 1/2	8/1/2001	positive	n/a
Linden Ave: 1119	8/1/1991	positive	<b>DEMOLISHED</b>
Linden Ave: 1201	11/6/1997	positive	<b>DEMOLISHED</b>
Linden Ave: 1209	9/15/2006	positive	5/25/2007
Linden Ave: 1423 (rear)	2/2/1994	positive	n/a
Linden Ave: 1430	11/26/2008	positive	<b>PLACARDED</b>
Linden Ave: 1501 &	n/a	positive	8/14/07-Lead Safe Springfield
Linden Ave: 1503	3/9/2007	positive	8/14/07-Lead Safe Springfield
Linden Ave: 1506	8/25/1993	positive	n/a
Linden Ave: 1517 &	n/a	positive	5/2/06-Lead Safe Springfield
Linden Ave: 1519	12/19/2005	positive	5/2/06-Lead Safe Springfield
	7/19/1995	positive	
Linden Ave: 1530	1/6/05	positive	10/11/05-Lead Safe Springfield
Linwood Ave: 501	n/a	positive	2001-Lead Safe Springfield
		positive	
Linwood Ave: 516	n/a	positive	6/24/2005
Lowry Ave: 125 N.	3/12/1997	positive	<b>DEMOLISHED</b>
Lowry Ave: 129 1/2 N.	3/19/2001	positive	<b>DEMOLISHED</b>
Lowry Ave: 234 N.	n/a	positive	<b>DEMOLISHED</b>
Lowry Ave: 238 & 240 & 240 1/2 N.	n/a	positive	<b>DEMOLISHED</b>
Lowry Ave: 238 1/2 N.	1/29/2002	positive	<b>DEMOLISHED</b>
Lowry Ave: 15 S.	9/26/2000	positive	<b>DEMOLISHED</b>
Lowry Ave: 231 S.	9/9/1994	positive	n/a
Lowry Ave: 235 S.	1/31/2002	positive	n/a

Address	Insp Date	Result	Abatement/Date
Lowry Ave: 303 S.	7/13/2010	positive	Pending
Lowry Ave: 313 S.	12/10/1992	positive	n/a
Lowry Ave: 317 S.	3/12/2009	positive	10/14/2009
Lowry Ave: 601-601 1/2-603 1/2 S.	n/a	positive	11/22/02-Lead Safe Springfield
Lowry Ave: 607 S.	2/22/2001	positive	n/a
Lowry Ave: 620 S.	3/4/2009	positive	8/7/09-Lead Safe Springfield
Lowry Ave: 722 S.	6/5/2002	positive	n/a
Lowry Ave: 827 S.	5/10/2002	positive	n/a
Lowry Ave: 918 S. &	n/a	positive	7/25/06-Lead Safe Springfield
Lowry Ave: 920 S.	9/20/2005	positive	7/25/06-Lead Safe Springfield
Ludlow: 307 & 307 1/2	n/a	positive	6/5/07-Lead Safe Springfield
Ludlow Ave: 314 1/2	9/10/2002	positive	n/a
Ludlow Ave: 324	6/29/1994	positive	n/a
Ludlow Ave: 328 &	6/29/2006	positive	5/18/07-Lead Safe Springfield
Ludlow Ave: 330	n/a	positive	5/18/07-Lead Safe Springfield
Ludlow Ave: 356 & 356 1/2	6/14/2004	positive	4/10/2008
Ludlow Ave: 516	3/31/2006	positive	7/28/2006
Ludlow Ave: 521	7/11/1994	positive	n/a
Madison Ave: 19 E. &	n/a	positive	9/24/04-Lead Safe Springfield
Madison Ave: 21 E.	4/29/2004	positive	9/24/04-Lead Safe Springfield
Madison Ave: 22-24 E.	n/a	positive	Lead Safe Springfield
Madison Ave: 122 E.	10/21/1993	positive	n/a
Madison Ave: 377 E.	n/a	positive	3/26/09-Lead Safe Springfield
Madison Ave: 380 E.	n/a	positive	4/14/03-Lead Safe Springfield
Madison Ave: 705 E.	4/24/1994	positive	n/a
Madison Ave: 724 & 724 1/2 E.	n/a	positive	4/23/07-Lead Safe Springfield
Madison St: 109 W. New Carlisle	7/23/1992	positive	n/a
Maiden Lane: 1117-1119	n/a	positive	2002-Lead Safe Springfield
Maiden Lane: 1127	11/19/2007	positive	<b>PLACARDED</b>
Maiden Lane: 1402	11/5/1996	positive	n/a
Maiden Lane: 1429 & 1431	n/a	positive	8/12/04-Lead Safe Springfield
Maiden Lane: 1854	n/a	positive	2/13/04-Lead Safe Springfield
Maiden Lane: 1876-1878	n/a	positive	1/13/06-Lead Safe Springfield
Main St: 817 E. &	12/15/1994	positive	<b>DEMOLISHED</b>
Main St: 819 E.	10/24/2002	positive	<b>DEMOLISHED</b>
Main St: 1118 E.	n/a	positive	2000-Lead Safe Springfield
Main St: 1132 E.	12/17/1992	positive	n/a
Main St: 715 W.	6/10/2002	positive	n/a
Main St: 717 W.	2/9/10 2/25/10	positive positive	Pending
Main St: 729 W.	7/29/1991	positive	4/28/05-Lead Safe Springfield
Main St: 808 W. (- 806)	10/5/2006	positive	5/1/2007
Main St: 1527 W. &	6/5/2002	positive	11/5/02-Lead Safe Springfield
Main St: 1527 1/2 W.	n/a	positive	11/5/02-Lead Safe Springfield
Main St: 1529 W.	n/a	positive	3/31/03-Lead Safe Springfield
Main St: 1535 W.	5/16/1994	positive	n/a
Main St: 1539 1/2 W.	07/20/01 7/19/04	positive	<b>PLACARDED</b>
Main St: 1901 1/2 W.	7/1/1997	positive	n/a
Malden Ave: 1506	10/27/2003	<b>negative</b>	n/a
Maplewood Ave: 2710	n/a	positive	10/19/05-Lead Safe Springfield
Mason St: 614	9/4/2007	positive	2/14/2008
Mason St: 723 & 725	n/a	positive	2001-Lead Safe Springfield
Mason St: 818 &	11/2/2006	positive	8/17/07-Lead Safe Springfield
Mason St: 820	n/a	positive	8/17/07-Lead Safe Springfield
Mason St: 822	11/4/2003	positive	n/a
Mason St: 1012	1/3/2007	positive	8/17/07-Lead Safe Springfield

Address	Insp Date	Result	Abatement/Date
Mayfair St: 2420	n/a	positive	2001-Lead Safe Springfield
McCreight Ave: 17 E.	10/27/1994	positive	n/a
McCreight Ave: 221-221 1/2 223-223 1/2 E.	n/a	positive	8/12/05-Lead Safe Springfield
McCreight Ave: 222-224 E.	n/a	positive	12/8/06-Lead Safe Springfield
McCreight Ave: 226-228-230 E.	n/a	positive	Lead Safe Springfield
McCreight Ave: 304 E.	8/4/2000	positive	n/a
McCreight Ave: 705 E.	4/1/1993	positive	n/a
Memorial Dr: 2138	5/25/1995	positive	n/a
Memorial Rd: 2030	9/5/2000	<b>negative</b>	n/a
Merrit St: 2629	10/6/1997	positive	n/a
Michigan Ave: 1906	n/a	positive	6/23/2005
Middle St: 1010	5/20/1993	positive	n/a
Middle St: 1026	12/14/1998	positive	n/a
Miller St: 17	7/20/1994	positive	<b>DEMOLISHED</b>
Miller St: 34	6/14/1993	positive	<b>DEMOLISHED</b>
Milton-Carlisle Rd: 10840	3/13/2009	positive	10/2/2009
Mitchell Blvd: 2002	n/a	positive	3/31/03-Lead Safe Springfield
Montgomery Ave: 217	6/1/1999	positive	n/a
Montgomery Ave: 217 1/2	6/1/1999	positive	n/a
Montgomery Ave: 219	2/3/1994	positive	n/a
Montgomery Ave: 337	n/a	positive	6/25/2005
Montgomery Ave: 401	n/a	positive	9/29/03-Lead Safe Springfield
Montgomery Ave: 412	7/14/1998	positive	1999-Lead Safe Springfield
Montgomery Ave: 700	n/a	positive	6/25/2005
Montgomery Ave: 709	n/a	positive	11/25/03-Lead Safe Springfield
Montgomery Ave: 746	11/1/1999	positive	n/a
Moorefield Rd.: 4218	2/3/2004	positive	n/a
Morgan St: 1607	n/a	positive	6/25/2005
Morgan St: 1828	n/a	positive	3/13/06-Lead Safe Springfield
Morton: 2736	n/a	positive	4/13/07-Lead Safe Springfield
Mound St: 824 1/2	6/23/2003	positive	n/a
Mound St: 852	12/2/2008	positive	6/8/09-Lead Safe Springfield
Mound St: 857	9/3/1996	positive	n/a
Mound St: 919	6/16/1993	<b>negative</b>	n/a
Mound St: 1224	4/27/2007	positive	8/10/07-Lead Safe Springfield
Mound St: 1301	10/12/2000	positive	n/a
Mound St: 1301 1/2	07-21-99 5-17-04	positive	12/14/2005
Mound: 1419-1419 1/2	n/a	positive	8/29/02-Lead Safe Springfield
Mound St: 1556	8/21/2000	positive	n/a
Mound St: 1558	8/21/2000	positive	Lead Safe Springfield
Mound St: 1594	11/26/1996	positive	n/a
Mound: 1803 -1805	n/a	positive	6/27/08-Lead Safe Springfield
Mt. Joy: 610	n/a	positive	6/25/2005
Mt. Vernon Ave: 520	3/1/2002	positive	n/a
Mulberry St: 10 E.	6/2/2000	positive	<b>DEMOLISHED</b>
Mulberry St: 7-9-11 W.	n/a	positive	10/7/02-Lead Safe Springfield
Mulberry St: 15 W.	1/9/2007	positive	<b>PLACARDED</b>
Mulberry St: 117 W. #C	3/16/1999	positive	<b>DEMOLISHED</b>
Mulberry: 409 W.	n/a	positive	Lead Safe Springfield
Mulberry: 411-411 1/2 W.	n/a	positive	Lead Safe Springfield
Mulberry St: 425 W.	8/31/1994	positive	n/a
Mulberry St: 427 W.	10/20/2005	positive	4/19/06-Lead Safe Springfield
Mulberry St 428 W. &	7/12/2004	positive	8/12/05-Lead Safe Springfield
Mulberry St 430 W.	n/a	positive	8/12/05-Lead Safe Springfield
Mulberry St 432 W.	6/17/2010	positive	Pending
Mulberry St: 434 W.	3/17/2005	positive	12/16/2005

Address	Insp Date	Result	Abatement/Date
Mulberry St: 507 W.	7/6/2007	positive	<b>DEMOLISHED</b>
Mulberry St: 508 W.	n/a	positive	1/4/03-Lead Safe Springfield
Mulberry St: 513 W.	8/11/1994	positive	n/a
Mulberry St: 516-518 W.	n/a	positive	5/20/05-Lead Safe Springfield
Mulberry St: 659 W. &	6/29/1993	positive	8/11/04-Lead Safe Springfield
Mulberry St: 661 W.	n/a	positive	8/11/04-Lead Safe Springfield
Mulberry St: 678 W. &	11/15/2001	positive	3/10/06-Lead Safe Springfield
Mulberry St: 680 W.	n/a	positive	3/10/06-Lead Safe Springfield
Mulberry St: 702 W. &	9/7/1999	positive	11/29/06-Lead Safe Springfield
Mulberry St: 706	n/a	positive	11/29/06-Lead Safe Springfield
Mulberry St: 725 W.	8/30/2004	positive	5/9/2005-Lead Safe Springfield
Mulberry St: 830 W.	8/18/2000	positive	n/a
Mulberry St: 906 W.	12/10/2009	positive	Pending
Mulberry St: 909 W.	n/a	positive	5/11/04-Lead Safe Springfield
	3/29/1995	positive	n/a
Mulberry St: 1033 W.	12/2/09	positive	Pending
Mulberry St: 1117 W.	n/a	positive	2000-Lead Safe Springfield
	05-09-03	positive	
Mulberry St: 1118 W.	7-01-04	positive	3/29/04-Lead Safe Springfield
Mulberry St: 1123 W.	9/7/1995	positive	n/a
Mulberry St: 1733 W.	2/18/1997	positive	n/a
Murray St: 919	11/24/2003	positive	n/a
Murray St: 1116	9/21/1992	positive	n/a
Murray St: 1122-1124	n/a	positive	2001-Lead Safe Springfield
		positive	
Narcissus, Medway: 877	1/25/1996	(Shed only)	n/a
National Rd: 3650 E. #14	3/15/2002	<b>negative</b>	
National Rd: 6593 W.	n/a	positive	6/25/2005
	7/9/1996	positive	
Neosha Ave: 209	6/30/98	positive	n/a
New Carlisle Pike: 4038	6/27/1990	positive	<b>DEMOLISHED</b>
	3/13/2002	positive	n/a
New Carlisle Pike: 9521	11/3/03	negative	Abated
Noel Dr: 1401	n/a	positive	6/25/2005
North St: 224 W. &	12/12/2001	positive	<b>DEMOLISHED</b>
North St: 224 1/2 W.	10/14/2003	positive	<b>DEMOLISHED</b>
North St: 310 W.	12/12/2001	positive	<b>DEMOLISHED</b>
North St: 312 W.	5/11/1998	positive	<b>DEMOLISHED</b>
North St: 416 W.	6/8/1999	positive	<b>DEMOLISHED</b>
North St: 522 W. &	10/18/1995	positive	10/7/05-Lead Safe Springfield
North St: 524 W.	9/13/2005	positive	10/7/05-Lead Safe Springfield
North St: 623 W. &	10/14/1994	positive	n/a
North St: 625 W.	8/23/1994	positive	n/a
North St: 626 W.	11/20/2000	positive	n/a
	10-24-96	positive	
North St: 633 W.	9-8-04	positive	5/5/2005
North St: 714 W.	4/9/1996	positive	n/a
North St: 718 W. &	1/22/1993	positive	8/12/03-Lead Safe Springfield
North St: 720 W.	n/a	positive	8/12/03-Lead Safe Springfield
North St: 808 W.	3/14/1989	positive	n/a
North St: 825 W. &	7/17/2008	positive	6/19/09-Lead Safe Springfield
North St: 825 1/2 & 827 W.	n/a	positive	6/19/09-Lead Safe Springfield
North St: 826 W.	3/8/1994	positive	n/a
North St: 1118 W. &	n/a	positive	6/28/06-Lead Safe Springfield
North St: 1120 W.	10/25/1990	positive	6/28/06-Lead Safe Springfield
Northern Ave: 222 E.	n/a	positive	7/30/04-Lead Safe Springfield
Northern Ave: 302 1/2 E.	10/13/2009	positive	Pending

Address	Insp Date	Result	Abatement/Date
Northern Ave: 817 E.	10/27/2003	positive	Abated-2004
Oak St: 830 &	n/a	positive	3/10/06-Lead Safe Springfield
Oak St: 832	9/21/1994	positive	3/10/06-Lead Safe Springfield
Oak St: 908-910	6/27/2007	positive	6/23/08-Lead Safe Springfield
Oak St: 921	2/10/2005	positive	<b>PLACARDED</b>
Oak St: 937 & 939	n/a	positive	11/15/02-Lead Safe Springfield
Oak St: 1007-1009	n/a	positive	6/30/03-Lead Safe Springfield
Oak St: 1150	5/14/2007	positive	8/17/2007
Oakland Ave: 1617	1/13/2004	positive	11/11/08-Lead Safe Springfield
Oakwood Place: 229	12/11/1995	positive	n/a
Oakwood Place: 327-329	n/a	positive	4/11/06-Lead Safe Springfield
Oakwood Place: 328	8/23/1994	positive	n/a
Old Clifton Rd: 2628	5/27/2005	positive	n/a
Old Columbus Rd: 3957	6/1/2004	positive	8/5/2004
Olive St: 606	9/6/1994	positive	<b>DEMOLISHED</b>
Olive St: 623 &	n/a	positive	6/21/05-Lead Safe Springfield
Olive St: 625	6/17/2004	positive	6/21/05-Lead Safe Springfield
Olive St: 725	10/22/2002	positive	n/a
Olive St: 820 &	6/18/1992	positive	6/25/1905
Olive St: 822	6/19/2001	positive	6/25/1905
Olive St: 824-826	n/a	positive	2001-Lead Safe Springfield
Olive St: 1121-1121 1/2	n/a	positive	6/21/06-Lead Safe Springfield
	6-07-00		
Ontario Ave: 2017	11-28-01	positive	n/a
Overlook Dr: 1763	8/25/2000	positive	n/a
Park Ave: 904	4/22/1997	positive	2000-Lead Safe Springfield
Park Ave: 914	6/7/2006	positive	<b>PLACARDED</b>
Park Ave: 916	12/6/1995	positive	n/a
Park Rd: 2110	10/26/1994	positive	n/aj
Parkwood Ave: 133 W.	n/a	positive	2000-Lead Safe Springfield
Parkwood Ave: 138 W.	10/1/1996	positive	n/a
Parkwood Ave: 142 W.	9/4/2002	positive	n/a
Parkwood: 144 W.	7/10/2008	positive	10/27/08-Lead Safe Springfield
	10/30/2002		
	6/8/07		9/17/03-Lead Safe Springfield
Parkwood Ave: 150 W. &	7/2/07	positive	9/12/07
Parkwood Ave: 152 W.	n/a	positive	9/17/03-Lead Safe Springfield
Parkwood Ave: 203 W.	n/a	positive	5/21/09-Lead Safe Springfield
Parkwood Ave: 240 W.	8/20/2004	positive	2/7/2005
Parkwood Ave: 306 W.	n/a	positive	6/25/1905
Parkwood Ave: 312 W.	n/a	positive	4/19/06-Lead Safe Springfield
Park Rd: 2110, #4	10/26/1994	positive	n/a
Patrick: 737	10/23/2003	positive	n/a
Perrin Ave: 17 W. &	11/20/1998	positive	4/4/03-Lead Safe Springfield
Perrin Ave: 19 W.	n/a	positive	4/4/03-Lead Safe Springfield
Perrin Ave: 56 W.	4/20/1995	positive	n/a
Perrin Ave: 132 W.	n/a	positive	1/5/04-Lead Safe Springfield
Perrin Ave: 343 W.	n/a	positive	3/3/09-Lead Safe Springfield
Perrin Ave: 350 W.	n/a	positive	10/1/08-Lead Safe Springfield
Persimmon-76 S. Catawba	12/27/2005	positive	Pending
Pine St: 915	8/11/2000	positive	2001-Lead Safe Springfield
Pine St: 925	4/25/2007	positive	8/17/2007
		visual-	
Plattsburg Rd: 10378	2/1/1999	positive	n/a
Pleasant St: 133 E.	12/1/2005	positive	7/13/2007
Pleasant St: 209 E.	8/27/1996	positive	n/a
Pleasant St: 211 E.	6/25/1996	positive	n/a

Address	Insp Date	Result	Abatement/Date
Pleasant St: 216 E.	6/30/1998	positive	<b>DEMOLISHED</b>
Pleasant St: 225 E.	6/2/1994	positive	n/a
Pleasant St: 251 E.	6/17/2005	positive	11/15/2005
Pleasant St: 256 E.	n/a	positive	5/30/06-Lead Safe Springfield
Pleasant St: 259 E.	3/7/1997	positive soil-only	n/a
Pleasant St: 260 E.	12/15/2004	positive	<b>PLACARDED</b>
Pleasant St: 263 E. (-265)	n/a	positive	4/15/04-Lead Safe Springfield
Pleasant St: 264 E.	06-22-93 4/1/05	positive positive	n/a 11/30/05-Lead Safe Springfield
Pleasant St: 265 E.	8/17/2006	positive	4/15/04-Lead Safe Springfield 4/2/07
Pleasant St: 307 E.	10/23/1998	positive	n/a
Pleasant St: 821 E.	7/5/2005	positive	9/21/05-Lead Safe Springfield
Pleasant St: 909 E.	n/a	positive	6/23/2005
Pleasant St: 8 W.	8/11/1993 11/1/93	positive	<b>DEMOLISHED</b>
Pleasant St: 19 W.	10/7/1997	positive	n/a
Pleasant St: 222 W.	8/11/1993	positive	n/a
Pleasant St: 302-302 1/2-304 1/2	n/a	positive	2010-Lead Safe Springfield
Pleasant St: 304 W.	9/21/2009	positive	2010-Lead Safe Springfield
Pleasant St: 421 W.	9/13/2007	positive	<b>PLACARDED</b>
Pleasant St: 435 W. &	10/27/1999	positive	6/17/04-Lead Safe Springfield
Pleasant St: 437 W.	n/a	positive	6/17/04-Lead Safe Springfield
Pleasant St: 510 W.	8/3/1994	positive	n/a
Pleasant St: 522 W.	9/21/1994	positive	<b>DEMOLISHED</b>
Pleasant St: 623 W.	8/3/2005	positive	<b>PLACARDED</b>
Pleasant St: 722 W.	7/20/1994	positive	n/a
Pleasant St: 732 W.	8/31/2004	positive	<b>PLACARDED</b>
Pleasant St: 807 W.	9/20/1994	positive	n/a
Pleasant St: 820 1/2 W.	6/23/1997	positive	<b>DEMOLISHED</b>
Pleasant St: 930 W.	n/a	positive	2/24/05-Lead Safe Springfield
Pleasant St: 1011 W.	9/4/2002 9/25/03	positive positive	2/14/05-Lead Safe Springfield
Pleasant St: 1034 W. (-1032)	10/16/1990 1/15/92	positive positive	<b>DEMOLISHED</b>
Pleasant St: 1105 W.	n/a	positive	6/25/2005
Pleasant St: 1109 W.	2/27/1998	positive	n/a
Pleasant St: 1122 W.	1/5/1995	positive	n/a
Pleasant St: 1124 W.	n/a	positive	6/25/1905
Pleasant St: 1125 W.	n/a	positive	10/31/08-Lead Safe Springfield
Plum St: 217 N. &	5/27/2005	positive	<b>DEMOLISHED</b>
Plum St: 219 N.	8/5/2004	positive	<b>DEMOLISHED</b>
Plum St: 224 N.	5/24/2000 10/2/00	positive	2001-Lead Safe Springfield <b>DEMOLISHED</b>
Plum St: 225 N. &	10/21/1992	positive	2002-Lead Safe Springfield <b>DEMOLISHED</b>
Plum St: 227 N.	n/a	positive	2002-Lead Safe Springfield <b>DEMOLISHED</b>
Plum St: 310 N.	9-03-03 12-7-04	positive	<b>DEMOLISHED</b>
Plum St: 325 N. &	9-29-98 11-2-01	positive	8/21/02-Lead Safe Springfield <b>DEMOLISHED</b>
Plum St: 327 N.	n/a	positive	8/21/02-Lead Safe Springfield <b>DEMOLISHED</b>
Plum St: 326 N.	6/26/1991	positive	<b>DEMOLISHED</b>
Plum St: 421 N.	10/23/2001	positive	<b>DEMOLISHED</b>
Plum St: 1006 N.	11/25/2002	positive	n/a

Address	Insp Date	Result	Abatement/Date
Plum St: 1531 N. #E	10/2/00 11/28/00	positive	11/28/2000
Plum St: 271 S. #2	5/16/1994	positive	n/a
Plum St: 316 S. #1	3/28/1989	positive	n/a
Plum St: 316 S. #4	8/14/2003	positive	1/8/2004
Plum St: 317 S.	n/a	positive-soil	2001-Lead Safe Springfield
Plum St: 423 S.	10/30/06 11/15/2006	positive	<b>PLACARDED</b>
Plum St: 618 S.	n/a	positive	2001-Lead Safe Springfield
Plum St: 622 S.	n/a	positive	2000-Lead Safe Springfield
Plum St: 627 S.	n/a	positive	7/1/06-Lead Safe Springfield
Plum St: 712-714 S.	n/a	positive	2001-Lead Safe Springfield
Plum St: 716-716 1/2 S.	n/a	positive	2001-Lead Safe Springfield
Plum St: 1465 S.	6/23/2004	positive	8/6/2004
Prairie Ave: 124	08-27-96 6-12-03	positive	<b>DEMOLISHED</b>
Primm Dr: 1944 Apt. E	11/29/1995	<b>negative</b>	
Primm Dr: 1947 Apt. H	7/30/2009	<b>negative</b>	
Princess Court: 138	11/5/1996	positive	<b>DEMOLISHED</b>
Pythian: 1317	n/a	positive	2000-Lead Safe Springfield
Pythian: 1435	7/7/2005	positive	n/a
Quincy Rd: 1850	9/26/2000	positive	n/a
Race St: 113 N.	3/1/1999	positive exterior only	n/a
Race St: 118 N. (116-)	10/20/2004	positive	<b>DEMOLISHED</b>
Race St: 124-126 N.	n/a	positive	9/14/04-Lead Safe Springfield
Race St: 127 N. &	3/25/1998	positive	n/a
Race St: 127 1/2	3/20/1998	positive	n/a
Race St: 217 N. &	7/23/2008	positive	12/10/08-Lead Safe Springfield
Race St: 219 N.	n/a	positive	12/10/08-Lead Safe Springfield
Race St: 221 N.	2/7/1994	positive	n/a
Race St: 228 N.	8/26/1997	positive	n/a
Race St: 230-232 N.	n/a	positive	8/24/05-Lead Safe Springfield
Race St: 303 N. Apt. C	6/25/1997	positive	n/a
Race St: 303 N. Apt. D	12/11/1996	positive	n/a
Race St: 322-324 N.	n/a	positive	3/4/04-Lead Safe Springfield
Race St: 409 N.	1/4/2005	positive	8/15/05-Lead Safe Springfield
Race St: 425 N.	n/a	positive	9/30/03-Lead Safe Springfield
Race St: 507 N.	10/22/97 1/17/06	positive	<b>PLACARDED</b>
Race St: 101 S.	11/16/1998	positive	n/a
Race St: 109 S.	9/26/2000	positive (partial)	n/a
Race St: 111 S.	5/11/2001	positive (partial)	n/a
Race St: 118 S. &	08-04-94 2/7/06	positive positive	11/6/2006
Race St: 120 S.	08/24/94 1/31/06	positive positive	11/6/2006
Race St: 125 S.	n/a	positive	7/1/06-Lead Safe Springfield
Race St: 130 S.	3/21/1997	positive	n/a
Race St: 230 S. &	n/a	positive	2000-Lead Safe Springfield
Race St: 230 1/2 S.	11/16/1998 3/6/07	positive	2000-Lead Safe Springfield
Raffensperger Ave: 325	n/a	positive	6/24/2005
Reading Dr: 641	n/a	positive	6/26/2005
Reading Dr: 646	n/a	positive	2010-Lead Safe Springfield

Address	Insp Date	Result	Abatement/Date
Renee-6408	3/24/2006	<b>negative</b>	n/a
Rice St: 115 1/2	11/16/1993	positive	n/a
Rice St: 122	9/28/1995	positive	n/a
Rice St: 132	7/9/2008	positive	<b>DEMOLISHED</b>
Rice St: 133	n/a	positive	1/9/09-Lead Safe Springfield
Rice St: 134	6/28/2007	positive	<b>DEMOLISHED</b>
Rice St: 136	7/20/2009	positive	12/22/2009
Rice St: 127	8/30/1990	positive	n/a
Rice St: 140	6/26/2007	positive	12/22/2009
Rice St: 227-229	n/a	positive	9/19/07-Lead Safe Springfield
Rice St: 413	5/9/2003	positive	n/a
Rice St: 422	5/16/2005	positive	10/29/05-Lead Safe Springfield
Rice St: 423 &	n/a	positive	8/26/03-Lead Safe Springfield
	2/4/03		
Rice St: 425	3/19/04	positive	8/26/03-Lead Safe Springfield
Rice St: 432	5/14/1998	positive	n/a
Rice St: 515 &	7/7/1998	positive	2001-Lead Safe Springfield
Rice St: 515 1/2	n/a	positive	2001-Lead Safe Springfield
	7-8-98	positive	
Rice St: 521 &	1-25-02	positive	n/a
Rice St: 521 1/2	7/8/1998	positive	n/a
Rice St: 535-537	n/a	positive	8/29/08-Lead Safe Springfield
Roberts: 2616	n/a	positive	11/20/02-Lead Safe Springfield
Robinson Dr: 1019	3/20/2003	<b>negative</b>	n/a
Rodgers Dr: 716	9/17/1992	positive	n/a
Rodgers Dr: 1124 &	9/1/2000	positive	2002-Lead Safe Springfield
Rodgers Dr: 1126	n/a	positive	2002-Lead Safe Springfield
Rose St: 126 E.	n/a	positive	6/24/2005
Rose St: 142-142 1/2	1/4/2008	positive	5/23/08-Lead Safe Springfield
Rose St: 143-145	n/a	positive	11/14/08-Lead Safe Springfield
Rose St: 234 E.	12/3/1990	positive	n/a
	10/20/1994	positive	
Rose St: 424 E.	12/17/96	positive	n/a
Rose St: 434 E.	7/24/1998	positive	n/a
Rose St: 513 E.	12/17/1996	positive	n/a
Rose St: 545 E.	4/17/2002	positive	n/a
Rose St: 608 E.	7/19/1995	positive	n/a
Rose St: 612 E.	n/a	positive	6/25/05
Rose St: 700 E.	6/21/2010	positive	Pending
Rose St: 917 W.	11/3/1994	<b>negative</b>	n/a
Rose St: 930 W.	n/a	positive	6/24/2005
		positive-	
Rosewood Ave: 234	11/2/1998	partial	2000-Lead Safe Springfield
Rosewood Ave: 239	n/a	positive	12/13/06-Lead Safe Springfield
Rosewood Ave: 329	6/15/2007	positive	10/27/07-Lead Safe Springfield
Rosewood Ave: 330	n/a	positive	6/30/03-Lead Safe Springfield
Rosewood Ave: 400	n/a	positive	6/25/2005
Rubsam St: 614	5/18/2010	positive	Pending
Rubsam St: 620	5/9/1996	positive	n/a
Rubsam St: 724	1/4/2002	positive	n/a
Rutland Ave: 2010	8/21/2009	positive	12/15/09-Lead Safe Springfield
Scarboro St: 1924	3/28/2002	<b>negative</b>	n/a
Scott St: 416	12/9/1997	positive	n/a
Scott St: 521	2/3/1994	positive	n/a
Scott St: 611	2/23/1995	positive	n/a
	8/3/1994	positive	
Scott St: 659 (-657)	11/23/94	visual	<b>DEMOLISHED</b>
Second St: 127 E.	9/5/2000	positive	2001-Lead Safe Springfield

Address	Insp Date	Result	Abatement/Date
Seever St: 102	7/18/1994	positive	n/a
Selma Rd: 247	9/6/1989	positive	<b>DEMOLISHED</b>
Selma Rd: 272	12/15/1998	positive	<b>DEMOLISHED</b>
Selma Rd: 312 1/2	10/31/1996	positive	n/a
Selma Rd: 425	11/20/1998	positive	n/a
Selma Rd: 431	10/31/1996	positive	n/a
Selma Rd: 472	1/31/2005 11/7/06	positive <b>negative</b>	4/24/2006
Selma Rd: 473 &	7/28/2006	positive	<b>PLACARDED</b>
Selma Rd: 473 1/2	3/17/2006	positive	<b>PLACARDED</b>
Selma Rd: 555	2/2/1995	positive	<b>DEMOLISHED</b>
Selma Rd: 818 &	2/3/1994	positive	10/2/02-Lead Safe Springfield
Selma Rd: 820	n/a	positive	10/2/02-Lead Safe Springfield
Selma Rd: 912 &	6/1/1999	positive	2000-Lead Safe Springfield
Selma Rd: 914	4/27/2000	positive	2000-Lead Safe Springfield
Selma Rd: 1065	9/10/2003	positive	<b>DEMOLISHED</b>
Selma Rd: 1111-1111 1/2	n/a	positive	4/5/04-Lead Safe Springfield
Selma Rd: 1313	2/15/2000 6/11/01	positive positive	2000-Lead Safe Springfield
Selma Rd: 1510	n/a	positive positive	4/21/07-Lead Safe Springfield
Selma Rd: 4995	11/30/1995	<b>negative</b>	n/a
Shaffer St: 324 N	11/30/1993	positive	<b>DEMOLISHED</b>
Shaffer St: 326-330	n/a	positive	9/12/07-Lead Safe Springfield
Shaffer St: 327 N &	8/30/2007	positive	4/25/08-Lead Safe Springfield
Shaffer St: 329 N	n/a	positive	4/25/08-Lead Safe Springfield
Shaffer St: 421 N.	n/a	positive	7/9/02-Lead Safe Springfield
Shaffer St: 423-425 N.	n/a	positive	8/3/05-Lead Safe Springfield
Shaffer St: 424-424 1/2 N.	n/a	positive	10/1/06-Lead Safe Springfield
Shaffer St: 518 N.	10/27/1994	positive	n/a
Shaffer St: 23 S.	5/30/2007	positive	<b>DEMOLISHED</b>
Shaffer St: 203 & 203 1/2 S.	n/a	positive	12/10/08-Lead Safe Springfield
Shaffer St: 211-213 S	n/a	positive	6/27/08-Lead Safe Springfield
Shaffer St: 225-225 1/2 S	n/a	positive	4/10/08-Lead Safe Springfield
Shaffer St: 231 S. &	10/25/2005	positive	6/27/06-Lead Safe Springfield
Shaffer St: 231 1/2 S.	n/a	positive	6/27/06-Lead Safe Springfield
Shaffer St: 309 S.	6/12/2001	positive	n/a
Shaffer St: 526 S.	4/16/2003	positive	n/a
Sheridan Ave: 1556	9/9/1993	positive	n/a
Sherman Ave: 378	3/24/1998	positive	n/a
Sherman Ave: 404	9/6/1994	positive	n/a
Sherman Ave: 408	n/a	positive	2000-Lead Safe Springfield
Sherman Ave: 618	n/a	positive	4/27/04-Lead Safe Springfield
Sherman Ave: 620	06-29-04 6/1/05	positive positive	4/27/04-Lead Safe Springfield; 4/15/08
Sherman Ave: 1044	9/24/1999	positive	n/a
Snyderville Rd: 2058	3/6/2006	<b>negative</b>	n/a
Southern Ave: 15 E. &	6/29/1993	positive	<b>DEMOLISHED</b>
Southern Ave: 15 1/2 E.	7/11/1996	positive	<b>DEMOLISHED</b>
Southern Ave: 16 E.	9/12/1990	<b>negative</b>	
Southern Ave: 20 E.	8/19/1993 11/16/93	positive <b>negative</b>	n/a
Southern Ave: 23 E.	9/28/1993	positive	n/a
Southern Ave: 117 E.	1/25/1999	positive	n/a
Southern Ave: 137 E.	6/6/2007 7/5/2007	positive positive	<b>PLACARDED</b>
Southern Ave: 140 E.	6/16/1997	positive	<b>DEMOLISHED</b>

Address	Insp Date	Result	Abatement/Date
Southern Ave: 237 E.	08-06-97 9/27/05	positive	<b>DEMOLISHED</b>
Southern Ave: 414 E.	1/10/2005	positive	8/15/2005-Lead Safe Springfield
Southern Ave: 416 E.	10/1/1999	positive	2000-Lead Safe Springfield
Southern Ave: 513 E.	6/9/2006	positive	10/28/2008
Southern Ave: 516 E.	n/a	positive	8/29/02-Lead Safe Springfield
Southern Ave: 625 E.	n/a	positive	6/25/2005
Southern Ave: 767 E.	n/a	positive	6/10/08-Lead Safe Springfield
Southern Ave: 781 E.	8/23/2002	positive	n/a
Southern Ave: 819 E.	n/a	positive	7/5/05-Lead Safe Springfield
Southern Ave: 829 E.	n/a	positive	4/3/06-Lead Safe Springfield
Southern Ave: 16 W.	1/2/1996	positive	<b>DEMOLISHED</b>
Southern Ave: 122 W.	n/a	positive	12/6/02-Lead Safe Springfield
Southern Ave: 145-147 W.	n/a	positive	2/3/06-Lead Safe Springfield
Southern Ave: 212 W. &	10/10/1989	positive	2/10/06-Lead Safe Springfield
Southern Ave: 214 W.	n/a	positive	2/10/06-Lead Safe Springfield
Southern: 226 W.	3/7/2005	positive	5/15/2006
Southern: 232-234 W.	n/a	positive	2001-Lead Safe Springfield
Southern Ave: 240 W.	9/8/2004	positive	1/16/2007
Southern Ave. 243 W.	3/28/2007	positive	<b>PLACARDED</b>
Southern Ave: 300-302 W.	n/a	positive	4/28/03-Lead Safe Springfield
Southern Ave: 324 W. &	7/29/2003	positive	6/4/04-Lead Safe Springfield
Southern Ave: 326 W.	n/a	positive	6/4/04-Lead Safe Springfield
Southern Ave: 333 W.	8/25/1993	positive	<b>DEMOLISHED</b>
Southern Ave: 427 W.	11/1/2000 12/19/2000	positive	n/a
Southern Ave: 435 W.	n/a	positive	3/30/05-Lead Safe Springfield
Southern Ave: 536 W.	11/9/1994	<b>negative</b>	n/a
Southern Parkway: 1612	n/a	positive	9/17/03-Lead Safe Springfield
Spring St: 432 S.	6/29/2001	positive	<b>DEMOLISHED</b>
Spring St: 516 S.	11/14/2006	positive	Pending
Springmont: 1969	n/a	positive	6/9/04-Lead Safe Springfield
Spfld. Jamestown Rd.: 6997	5/13/2002	positive	n/a
Springfield Xenia Rd: 2736	6/18/2001	positive- partial	n/a
Stanton Ave: 354 1/2	11/28/2000	positive	n/a
Stanton Ave: 411	n/a	positive	Lead Safe Springfield
Stanton Ave: 551-553	n/a	positive	10/29/07-Lead Safe Springfield
Stanton Ave: 612 &	n/a	positive	8/4/06-Lead Safe Springfield
Stanton Ave: 614	9/6/1994 10/29/02	positive positive	8/4/06-Lead Safe Springfield
Stanton Ave: 605	n/a	positive	3/4/04-Lead Safe Springfield
Stanton Ave: 712-714	n/a	positive	4/27/05-Lead Safe Springfield
Stanton Ave: 741, Apts. A,B,C	n/a	positive	4/4/06-Lead Safe Springfield
State St: 30 W. (Johnny Lytle)	11/15/2004	positive	7/21/05-Lead Safe Springfield
State St: 36 W. (Johnny Lytle)	n/a	positive	10/13/03-Lead Safe Springfield
State St: 40 W. (Johnny Lytle)	3/24/2008	positive	9/23/08-Lead Safe Springfield
State St: 46 W. (Johnny Lytle)	2/2/1995	positive	n/a
State St: 50 W. (Johnny Lytle)	5/30/2001	positive (partial)	n/a
State St: 208 W. (Johnny Lytle)	n/a	positive	6/23/2005
State St: 228 W. (Johnny Lytle)	n/a	positive	6/25/2005
State St: 345 W. (Johnny Lytle)	n/a	positive	3/25/09-Lead Safe Springfield
State St: 350 W. (Johnny Lytle)	12/6/1999	positive	n/a
State St: 822 W. (Johnny Lytle)	n/a	positive	6/23/2005
State St: 904 W. (Johnny Lytle)	11/27/2007	positive	9/12/08: Lead Safe Springfield
Summer St: 737	6/8/1995	positive	n/a
Summer St: 1011 &	9/7/2005	positive	11/8/06-Lead Safe Springfield

Address	Insp Date	Result	Abatement/Date
Summer St: 1011 1/2	n/a	positive	11/8/06-Lead Safe Springfield
Sunset Ave: 926 Apt. C	12/29/1999	<b>negative</b>	n/a
Sunset Ave: 948 Apt. F	3/6/1997	<b>negative</b>	n/a
Sunset Ave: 1900	11/30/2000	positive (partial)	3/16/2001
Sunset Ave: 2236	12/27/2006	positive	7/17/2007-Lead Safe Springfield
Superior Ave: 1918	11/19/1996	<b>negative</b>	<b>DEMOLISHED</b>
Superior Ave: 1922	9/18/1989	<b>negative</b>	<b>DEMOLISHED</b>
Superior Ave: 2002	3/19/2004	positive	<b>DEMOLISHED</b>
Superior Ave: 2011	6/7/2000	<b>negative</b>	<b>DEMOLISHED</b>
Superior Ave: 2046	1/8/1996	<b>negative</b>	<b>DEMOLISHED</b>
Superior Ave: 2232	12/28/2005	positive	1/4/07-Lead Safe Springfield
Sweetbriar Ln: 1743	n/a	positive	2010-Lead Safe Springfield
Sweetbriar Ln: 1911	n/a	positive	6/25/2005
Sycamore St.: 24 N	12/15/1994	positive	<b>DEMOLISHED</b>
Sycamore St: 28 N.	11/17/1993	positive	<b>DEMOLISHED</b>
Sycamore St: 14 S.	7/18/1993	positive	n/a
Sycamore St: 53 S.	11/9/1993	positive	n/a
Sycamore St: 57 S.	6/21/2000	positive	n/a
Tarimore Dr: 633	11/17/1994	<b>negative</b>	n/a
Texas Ave: 1234	9/9/2002	positive	n/a
Third St: 104 E.	10/10/1990	positive	n/a
Third St: 311 E.	n/a	positive	6/25/2005
Thrasher St: 975	n/a	positive	3/29/06-Lead Safe Springfield
Thrasher St: 1048	1/26/2007	positive	Pending
Tibbetts Ave: 527	6/10/2002	positive	<b>DEMOLISHED</b>
Tibbetts Ave: 669	9/18/2007	positive	4/14/08-Lead Safe Springfield
Tibbetts Ave: 615	7/1/1993	positive	<b>DEMOLISHED</b>
Tibbetts Ave: 1111 #1, 3, 4	n/a	positive	10/17/08-Lead Safe Springfield
Tibbetts Ave: 1111 #2	10/28/1993	positive	10/17/08-Lead Safe Springfield
Tibbetts Ave: 1123	7/17/2001	positive	n/a
Tibbetts Ave: 1311	n/a	positive	2/25/09-Lead Safe Springfield
Todd: 817	n/a	positive	3/31/03-Lead Safe Springfield
Tudor Circle: 4338	6/15/1992	<b>negative</b>	n/a
Urbana Lisbon Rd: 1657 S.	6/10/2008	positive	7/14/2010
Victory Rd: 840	12/10/1992	positive	n/a
Victory Dr: 1804	n/a	positive	2000-Lead Safe Springfield
Vine St: 429	8/29/1995 3/14/97 (visual)	positive positive	n/a
Vine St: 524	8/31/2000	positive	<b>DEMOLISHED</b>
Virginia Ave: 2420	10/20/2005	positive	1/10/2006
Ward St: 126 E.	9/22/2005	positive	2/6/2006
Ward St: 132 E.	7/3/2002	positive	n/a
Warder St: 807-807 1/2	n/a	positive	2010-Lead Safe Springfield
Warder St: 819	5/20/1993	positive	n/a
Warder St: 827 & 827 1/2	n/a	positive	2000-Lead Safe Springfield
Warder St: 1587	6/22/1995	positive	n/a
Washington St: 407 W.	9/25/2007	positive	1/8/2008
Washington St: 1802 W.	n/a	positive	6/23/2005
Washington St: 1827 W.	9/9/2002	positive	n/a
Weimers Section: 1	3/5/1996	positive	<b>DEMOLISHED</b>
Western Ave: 19 & 19 1/2 N.	n/a	positive	8/20/09-Lead Safe Springfield
Western Ave: 105 1/2 N.	6/10/2010	positive	Pending
Western Ave: 117 N. &	7/20/2000	positive	7/17/06-Lead Safe Springfield
Western Ave: 119 N. &	7/6/2005	positive	7/17/06-Lead Safe Springfield
Western Ave: 121 N.	n/a	positive	7/17/06-Lead Safe Springfield
Western Ave: 207 N. &	6/22/2004	positive	3/14/05-Lead Safe Springfield

Address	Insp Date	Result	Abatement/Date
Western Ave: 207 1/2 N.	n/a	positive	3/14/05-Lead Safe Springfield
Western Ave: 254 N.	7/29/2002	positive	n/a
Western Ave: 265-265 1/2 N.	n/a	positive	5/18/07-Lead Safe Springfield
Western Ave: 313-315 N.	n/a	positive	4/28/04-Lead Safe Springfield
Western Ave: 9 S. &	11-5-92 6/20/01	positive	3/31/03-Lead Safe Springfield
Western Ave: 9 1/2,11,11 1/2 S.	n/a	positive	3/31/03-Lead Safe Springfield
Western Ave: 21 S.	n/a	positive	11/9/05-Lead Safe Springfield
Western Ave: 23 S.	n/a	positive	4/27/06-Lead Safe Springfield
Western Ave: 205 S.	n/a	positive	2001-Lead Safe Springfield
Western Ave: 305 S.	9/11/2006	positive	7/9/07-Lead Safe Springfield
Western Ave: 309 S.	9/24/2004	positive	8/20/05-Lead Safe Springfield
Western Ave: 319 S.	n/a	positive	6/30/03-Lead Safe Springfield
Western Ave: 1163 S.	2/4/1992	positive	n/a
Western Ave: 1527 S.	n/a	positive	6/25/2005
Wilkes Dr: 1951, Apt B	2/2/1999	<b>negative</b>	n/a
Wiley: 809	n/a	positive	5/4/05-Lead Safe Springfield
Willard Ave: 417 &	n/a	positive	4/15/04-Lead Safe Springfield
Willard Ave: 417 1/2	7/12/2004	positive	4/15/04-Lead Safe Springfield
Willard Ave: 422	12/22/1994	positive	n/a
Williams St: 23, S. Charleston	11/29/99 2/19/02 8/7/03	positive positive positive	n/a
Willow St: 115, S. Charleston	6/13/2005	positive	12/14/2005
Wilson Ave: 111-113	n/a	positive	6/12/02-Lead Safe Springfield
Wilson Ave: 124	8/18/2000	positive	n/a
Wilson Ave: 127	6/6/2006	positive	6/19/09-Lead Safe Springfield
Wilson Ave: 132	n/a	positive	11/6/03-Lead Safe Springfield
Wittenberg Ave: 117-119 N.	n/a	positive	4/5/04-Lead Safe Springfield
Wittenberg Ave: 131 N.	8/31/1994	positive	<b>DEMOLISHED</b>
Wittenberg Ave: 325-327 N.	n/a	positive	Lead Safe Springfield
Wittenberg Ave: 512 N.	10/26/2007	positive	4/3/2008
Wittenberg Ave: 30 S.	2/22/2000	positive	n/a
Wittenberg Ave: 228 S.	7/20/1998	positive	n/a
Wittenberg Ave: 231 S.	6/29/1999	positive	n/a
Wittenberg Ave: 234 S.	8/14/1990	positive	<b>DEMOLISHED</b>
Wittenberg Ave: 255 & 255 1/2 S.	3/4/1997	positive	<b>DEMOLISHED</b>
Wittenberg Ave: 323 S.	12/18/89 8/13/04	positive positive	<b>DEMOLISHED</b>
Wittenberg Ave: 325 S.	7/30/2003	positive	n/a
Wittenberg Ave: 327 S. &	4/26/04 10/27/04	positive	9/14/04-Lead Safe Springfield
Wittenberg Ave: 329 S.	n/a	positive	9/14/04-Lead Safe Springfield
Wittenberg Ave: 341 S.	7/26/2004	positive	Pending
Wittenberg Ave: 508 S.	10/2/2007	positive	<b>PLACARDED</b>
Wittenberg Ave: 522 S.	2/10/1993	positive	<b>Demolished-Rebuilt</b>
Wittenberg Ave: 526 S.	7/26/2004	positive	<b>PLACARDED</b>
Wittenberg Ave: 538 S. (upstairs)	2/19/2002	positive	<b>Demolished-Rebuilt</b>
Wittenberg Ave: 618 S.	10/27/1994	positive	<b>Demolished-Rebuilt</b>
Wittenberg Ave: 620 S.	5/30/2001	positive (partial)	n/a
Wittenberg Ave: 707 S.	8/1/2005	positive	8/1/2005
Wittenberg Ave: 802-804 S	n/a	positive	5/29/08-Lead Safe Springfield
Wittenberg Ave: 837 S.	9/28/1993	positive	n/a
Wittenberg Ave: 901 S.	n/a	positive	2000-Lead Safe Springfield
Wittenberg Ave: 917 S.	n/a	positive	4/30/03-Lead Safe Springfield
Wittenberg Ave: 1462-1464 S.	n/a	positive	6/6/06-Lead Safe Springfield
Witenberg: 1551 S.	8/7/2008	positive	5/21/09-Lead Safe Springfield

Address	Insp Date	Result	Abatement/Date
Wittenberg Blvd: 1618 E.	5/3/1995	positive	n/a
Wittenberg Blvd: 1630 E.	2/11/2000	positive	n/a
Woodbury Rd: 3781, #44 Medway	2/20/2002	<b>negative</b>	n/a
Woodlawn Ave: 503	1/10/1994	positive	n/a
Woodlawn Ave: 509	11/22/1993	positive	n/a
Woodlawn Ave: 1132	9/9/1993	positive	n/a
Woodward Ave: 1358	n/a	positive	6/30/03-Lead Safe Springfield
Woodward Ave: 1363	n/a	positive	3/15/07-Lead Safe Springfield
Woodward Ave: 1405	6/29/2010	positive	Pending
Woodward Ave: 1417	6/4/1996	positive	n/a
Woodward Ave: 1437-1437 1/2	n/a	positive	1/13/03-Lead Safe Springfield
Woodward Ave: 1603-1603 1/2	n/a	positive	6/30/03-Lead Safe Springfield
Woodward Ave: 1615 1/2	1/14/2002	positive	n/a
Woodward Ave: 1637	n/a	positive	2001-Lead Safe Springfield
Woodward Ave: 1757	5/25/1999	positive	n/a
Woodward Ave: 1775 &	8/6/2007	positive	10/12/07-Lead Safe Springfield
Woodward Ave: 1777	n/a	positive	10/12/07-Lead Safe Springfield
Woodward Ave: 1785	n/a	positive	n/a
Woodward Ave: 1790	9/23/2003	positive	n/a
Woodward Ave: 1806-1808	n/a	positive	10/17/08-Lead Safe Springfield
Woodward Ave: 1811-1813	n/a	positive	1/29/09-Lead Safe Springfield
Woodward Ave: 1816-1818	n/a	positive	5/29/02-Lead Safe Springfield
Yellow Springs St: 112 N.	6/8/2005	positive	<b>DEMOLISHED</b>
Yellow Springs St: 207 N.	1/6/1992	positive	<b>DEMOLISHED</b>
Yellow Springs St: 236 N.	5/30/2001	positive	<b>DEMOLISHED</b>
Yellow Springs St: 402 1/2 N.	10/26/1998	positive	<b>DEMOLISHED</b>
Yellow Springs St: 411-413 N.	n/a	positive	3/2/07-Lead Safe Springfield
Yellow Springs St: 461 N. &	n/a	positive	4/14/05-Lead Safe Springfield
Yellow Springs St: 463 N.	10/22/2004	positive	4/14/05-Lead Safe Springfield
Yellow Springs St: 467 N.	6/22/2010	positive	Pending
Yellow Springs St: 121 S.	n/a	positive	10/21/02-Lead Safe Springfield
Yellow Springs St: 306 1/2 S.(-308)	8/26/1997	positive	Demolished-Rebuilt 2006
Yellow Springs St: 325 S.	8/16/2004	positive	<b>PLACARDED</b>
Yellow Springs St: 409 1/2 S.	2/6/2008	positive	3/24/2009
Yellow Springs St: 1052 S.	9/26/1996	positive	n/a
Yellow Springs St: 1062 S.	7/25/2001 4/16/02	positive positive	n/a
York St: 240 S.	n/a	positive	2/27/04-Lead Safe Springfield
York St: 527-529 S.	n/a	positive	6/30/03-Lead Safe Springfield
York St: 528 S.	n/a	positive	1/30/09-Lead Safe Springfield
York St: 705 S.	5/10/2004	positive	5/10/05-Lead Safe Springfield
York St: 2746 S.	2-1-99 7/22/02	positive	n/a
Zimmerman: 2639	n/a	positive	8/20/03-Lead Safe Springfield